2026 PACKAGING & SPECIFICATIONS GUIDE



ROCHESTER

CONCRETE PRODUCTS

INDEX AND FREIGHT NOTES

PAVERS, SLABS & TILES

Accent Paver 5
American Brick Paver 5
Antique Travertine Tiles 6
Barrington Paver 6
Bullnose Paver 7
Cheyenne Paver NEW 7
Cobble Stone Paver 8
Colonial Pavers 8
Contours Paver 9
Contours XL Paver 9
GeoCeramica Paver 4
Holland Paver 10
Holland-Eco Paver 10
Lamont Paver 11
Mezzano Paver 11
Minnetonka Paver 12
Pacific-Eco Paver 12
Reno Paver 13
Serano Paver 13
Silhouette Paver 14
Silhouette XL Paver 14
Slate Tiles 15
Strata Paver NEW 15
Tahoe Paver 16
Titan Slab 16
Vista Slab NEW 17
Windom Paver 17

PERMEABLE PAVERS

Cobble Stone Paver 8
Holland-Eco Paver 10
Pacific-Eco Paver 12

RETAINING WALLS

Classic 6 and 8 Walls 20
Classic 8 DOT Walls / Caps 20
Classic Colonial 6 Wall 21
Classic Colonial 8 Wall 21
Contemporary Wall 21
Cottage Stone Wall 22
Lakeland 22
Olympic Wall 22
Palisade Wall 23
Premier 6 Wall 23
Premier 8 Wall 23
Recon Wall 24
Riverland Walls 24
Rosetta Walls 25
StoneHedge 25
Torpedo Base Block 23
Vintage 6 Wall 26
Versa-Lok 26

WALL & PILLAR CAPS

Chiseled Caps/Tops 27
Retaining Wall Caps 26

STEPS

Chisled Steps 28
Grand Step (Split-Face) 28
Imperial Step (Smooth-Face) 28
Stepping Stones 28

EDGING

Bullnose Paver 7
Edgers 27

OUTDOOR LIVING KITS

Contemporary Kits 38-39
Colonial Fireplace Kits 32
Compact Fireplace Kits 33
Fire Ring / Pits and Accessories 34
Grand Island Bar Kits 36
Grand Fireplace Kits 32
Granite Top Grill Kits 37
Seatwall and Pillar Kits 35
Summerset Sizzler Pro Grills 37
Victorian Fireplace Kits 33
Woodbox/Stand Kit 35

ACCESSORIES

Adhesive 29
Alliance Gator Sand/Sealers, ect. 30-31
Stepping Stones 28
Strata Geo-Grid 29
Strata Sleeve-It 29

REFERENCE

Accenting and Borders 18-19
Calculators (Adhesive, Paver, Wall Material) 29
Policies, Credit Terms and Conditions 40
General Terms and Conditions of Sale 41
Warranty Statement 42
Care, Cleaning & Maintenance 43

FREIGHT NOTES

The following items CANNOT be stacked upon due to pallet size and/or position of product on pallet:

- Antique Travertine Tiles
- Cottage Stone Retaining Wall
- Fire Ring Cap
- GeoCeramica
- Slate Landscape Tiles
- Stepping Stones

Information for planning your freight/loads:

- Grand Fire Ring Kits can be stacked three high
- For LTL purposes, each “spot” cannot weigh over 3,000 lbs. stacked
- All pallet weights include 50 lbs. for pallet

Whether shipping LTL or full loads, dispatchers will find the most competitive freight rate available. When you need one or more pallets but can’t wait to fill a truckload, dispatchers will find LTL freight for shipments less than 15,000 lbs. (10 pallets) at current rates for typical 1-3 day delivery.

Please note: The information presented here has been prepared for the benefit of customers interested in Rochester Concrete Products, it was reviewed carefully prior to publication. Rochester Concrete Products assumes no liability for its accuracy or completeness. Final determination of the suitability of any information or material for the use contemplated, or for its manner of use, is the sole responsibility of the user.

- Some products may not be available in all areas
- Product availability and specifications subject to change without notice
- Product dimensions given are shown in inches, weights in pounds

©Copyright 2026, Rochester Concrete Products. All Rights Reserved. All trademarks and registered trademarks are the property of their respective owners. Rockwood Retaining Walls products are made worldwide under license from Rockwood Retaining Walls, Inc. US and international patents issued and pending. Dry-cast segmental wall products are manufactured in accordance with ASTM C1372.

126

Rochester Concrete Products™

rochestercp.com

DIRECTORY

SALES STAFF

IOWA

Jimmy Six
Phone: (641) 485-4802
jimmy.six@rochestercp.com

ILLINOIS, INDIANA

Kurt Glave (METRO & INDIANA)
Phone: (847) 401-3741
kurt.glave@rochestercp.com

Mike Mellon (N. Illinois)
Phone: (630) 880-6940
michael.mellon@rochestercp.com

NEBRASKA, KANSAS, W. MISSOURI

Brad Bailey
Phone: (402) 706-7725
brad.bailey@rochestercp.com

MINNESOTA

Keith Ehmke (W. METRO)
Phone: (262) 339-6981
keith.ehmke@rochestercp.com

Scott Gengler (SOUTHERN MN & SOUTHWESTERN W)
Phone: (507) 269-6982
scott.gengler@rochestercp.com

Joe Dubois (E. METRO)
Phone: (651) 425-0606
joe.dubois@rochestercp.com

WESTERN SD & ND, MONTANA, WYOMING

Glen Nevala
Phone: (612) 702-4115
glen.nevala@rochestercp.com

WISCONSIN

Daniel Kozak (MILWAUKEE AND MADISON)
Phone: (262) 283-3168
daniel.kozak@rochestercp.com

John Sheahan (NORTHERN & EASTERN WI)
Phone: (507) 279-2950
john.sheahan@rochestercp.com

NATIONAL ACCOUNTS

Jeff Price
Phone: (507) 289-1191
jeff.price@rochestercp.com

COMMERCIAL PROJECTS

Jim Weidner
Phone: (507) 951-4374
jweidner@moderra.com

DISPATCH

ROCHESTER, MN

Jaime Martinez
Phone: (507) 424-4693
jaime.martinez@rochestercp.com

THORP, WI

Tanya Kapfer
Phone: (715) 669-5552
tanya.kapfer@rochestercp.com

JORDAN, MN

Becky Myre
Phone: (952) 492-3636
becky.myre@rochestercp.com

Megan Scheerhoorn (Recon)
Phone: (952) 492-3636
megan.scheerhoorn@rochestercp.com

BEAVER DAM, WI

Cherey Justmann
Phone: (920) 386-3104
cherey.justmann@rochestercp.com

Linda Baker
Phone: (920) 386-3105
linda.baker@rochestercp.com

MANUFACTURING & DISTRIBUTION

ROCHESTER, MN
7200 Broadway Ave N
Rochester, MN 55906
Phone: (507) 288-8850
www.rochestercp.com

BEAVER DAM, WI
W6558 Hwy 33
Juneau, WI 53039
Phone: (920) 386-3333

JORDAN, MN
3535 Bluff Dr
Jordan, MN 55352
Phone: (952) 492-3636

THORP, WI
N14665 Dickerson Ave
Thorp, WI 54771
Phone: (715) 669-5552

SUPPORT STAFF

Crystal Mathews
Kit Warranties & Samples
Phone: (507) 535-1482
crystal.mathews@glsindustries.net

Holly Cardenas
Acct's Receivable, Block and Paver Warranties
Phone: (507) 535-1493
holly.cardenas@glsindustries.net



PORCELAIN MADE EASY

GEOCERAMICA®
Porcelain + Paver

reddot design award
winner 2018

GeoCeramica® combines the modern aesthetic and low-maintenance of porcelain tile with the ease of installation of concrete pavers. GeoCeramica binds a 1cm porcelain tile to a concrete paver base using a proprietary Aquaferm binding agent.

Durable and Low Maintenance:
A surface that is easy to clean, stain, scratch, and slip resistance makes GeoCeramica an attractive choice for any outdoor kitchen, rooftop, patio or pool deck application.

Easy to Install:
GeoCeramica installs in a similar manner to traditional pavers over an open-graded or densely-graded base — saving you time and money compared to a traditional porcelain installation. We recommend filling joints with a resin sand such as Nitro or NitroX. We strongly recommend cementitious edging to enhance the longevity and quality of GeoCeramica projects.

GeoCeramica pavers can be cut with a water-cooled cut-off saw using a non-segmented diamond blade. Use a roller compactor when compacting.



GEOCERAMICA PAVERS

Surface and Edges:
- Smooth, 1cm porcelain tile bonded to a concrete paver base
- 3mm auto-spacer
- Micro-beveled tile edges, grey concrete paver base

24 x 24 Colors: Pearle, Sable, Smoke, Taupe
12 x 24 (NEW) Colors: Pearle, Smoke

NEW

Ordering and Installation:
- Suitable for paths, patios, pool decks, outdoor kitchens, rooftop amenity decks and raised decking
- Available by pallet or layer
- Similar to pavers, anticipate a 5% waste rate, order accordingly
- Install using a vacuum lifting device
- Can be installed on traditional paver sand-set or open-graded base
- Use extreme care during install to prevent edge damage
- We recommend filling joints with a resin sand such as NitroX
- We recommend cementitious edging (such as Xtreme Edge) to enhance the longevity of GeoCeramica installs
- Use roller compactor when compacting
- 10-Year Limited Warranty

Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
23.62 x 23.62 x 1.6" H	3.88 sq. ft.	70.7 lbs.	2 (7.76 sq. ft.)	13	26 (100.75 sq. ft.)	1,890 lbs.
11.81 x 23.62 x 1.6" H **(NEW)**	1.94 sq. ft.	35.3 lbs.	4 (7.76 sq. ft.)	13	52 (100.75 sq. ft.)	1,888 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Scan for installation and best practices.



ACCENT PAVER (SMOOTH)

Surface and Edges:
- Smooth surface; straight/chamfered edge, radius corners
- Small auto-spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Bone, Mocha, Natural, Onyx

Ordering and Installation:
- Specify **Smooth** when placing order
- Available by pallet or layer
- Suitable for all pedestrian, pool and non-commercial vehicular applications
- Use plate or roller compactor when compacting

Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
5.75 x 11.5 x 2-3/8" H	0.46 sq. ft.	12 lbs.	18	10 (8.3 sq. ft.)	180 (83 sq. ft.)	2,225 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.

ACCENT PAVER (TEXTURED)

Surface and Edges:
- Textured surface; irregular/chamfered edge, radius corners
- Small auto-spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Mocha, Natural, Onyx

Ordering and Installation:
- Specify **Textured** when placing order
- Available by pallet or layer
- Suitable for all pedestrian, pool and non-commercial vehicular applications
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
5.75 x 11.5 x 2-3/8" H	0.46 sq. ft.	12.9 lbs.	21	10 (9.7 sq. ft)	210 (97 sq. ft.)	2,591 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.

AMERICAN BRICK PAVER

Surface and Edges:
- Multiple faces, textured top, radius corners
- No auto-spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Mocha, Onyx, Wheat

Ordering and Installation:
- Available by pallet or layer
- Designed for borders, accents and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
7.96 x 2.58 x 2-3/8" H	0.14 sq. ft.	3.85 lbs.	60	10 (8.44 sq. ft.)	600 (84 sq. ft.)	2,318 lbs

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



ANTIQUE TRAVERTINE LANDSCAPE TILES

Surface and Edges:
- Three sizes w/multiple unique faces
- Detailed travertine top and sides, smooth honed surfaces, radius corners
- Strong and durable 10,000 psi wet cast concrete

Colors: Ivory, Natural

Ordering and Installation:
- Palletized by size, cannot be double stacked
- Available by pallet or piece
- Suitable for all pedestrian and pool applications
- Individual tile dimensions have some variability, gap tiles a minimum of 1/4"
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/Pallet	Pallet Weight
Small	12 x 24 x 2" H	2 sq. ft.	46 lbs.	20 (40 sq. ft.)	970 lbs.
Medium	18 x 24 x 2" H	3 sq. ft.	70 lbs.	18 (54 sq. ft.)	1,310 lbs.
Large	24 x 24 x 2" H	4 sq. ft.	88 lbs.	18 (72 sq. ft.)	1,634 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1
Large = 100%



Pattern 2
Large = 100%



Pattern 3
Small = 22.2%
Medium = 33.3%
Large = 44.5%



Pattern 4
Small = 28.57%
Medium = 42.85%
Large = 28.57%



Pattern 5
Medium = 100%

BARRINGTON PAVER

Surface and Edges:
- Smooth surface, straight/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Cascade, Glacier Creek, Sahara, Santa Fe, Sedona

Ordering and Installation:
- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- Use plate or roller compactor when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	7.79 x 15.66 x 2-3/8" H	0.85 sq. ft.	24.6 lbs.	2			
Medium	15.66 x 15.66 x 2-3/8" H	1.70 sq. ft.	49.1 lbs.	2	10 (10.2 sq. ft.)	60 (102 sq. ft.)	3,000 lbs.
Large	15.66 x 23.54 x 2-3/8" H	2.60 sq. ft.	75.2 lbs.	2			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1



Pattern 2



Pattern 3



Pattern 4



Pattern 5

Patterns shown use full layers.

BULLNOSE PAVER

Surface and Edges:
- Smooth surface, full radius front
- No auto spacer
- Thru-mix color; non-facemix

Colors: Mocha, Natural, Onyx, Wheat

Ordering and Installation:
- Available by pallet or layer
- Use plate or roller compactor when compacting

Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
12 x 6 x 2-3/8" H	0.50 sq. ft.	13.06 lbs.	48	3	144 (72 sq. ft.)	1,930 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.

CHEYENNE PAVER

CHROMA COLOR™

NEW

Surface and Edges:
- Textured surface, irregular/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology

Colors: Glacier Creek, Latte, Sahara, Sedona, Sterling

Ordering and Installation:
- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- Use plate or roller compactor when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	7.79 x 15.66 x 2-3/8" H	0.85 sq. ft.	22.61 lbs.	2			
Medium	15.66 x 15.66 x 2-3/8" H	1.70 sq. ft.	45.23 lbs.	2	10 (10.2 sq. ft.)	60 (102 sq. ft.)	2,763 lbs.
Large	15.66 x 23.54 x 2-3/8" H	2.56 sq. ft.	68.1 lbs.	2			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Patterns shown use full layers.

COBBLE STONE PAVER

CHROMA COLOR™ CHROMA SHIELD+™ PERMEABLE

Surface and Edges:
- Textured top, radius corners
- Large auto-spacer, high-flow-rate, eco/permeable
- Chroma Color facemix technology

Colors: Beechwood, Moonlight Grey, Onyx*
*Onyx is protected with Chroma Shield anti-fade technology.

Ordering and Installation:
- Four-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian, pool and non-commercial vehicular applications
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	7.05 x 5.87 x 2-3/8" H	0.29 sq. ft.	7.44 lbs.	8	8 (12.33 sq. ft.)	256 (98.7 sq. ft.)	2,584 lbs.
Medium	8.63 x 5.87 x 2-3/8" H	0.35 sq. ft.	10.26 lbs.	8			
Large	10.2 x 5.87 x 2-3/8" H	0.42 sq. ft.	10.78 lbs.	8			
X Large	11.77 x 5.87 x 2-3/8" H	0.48 sq. ft.	12.32 lbs.	8			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



COLONIAL PAVERS

CHROMA COLOR™

Surface and Edges:
- Dimpled top, straight/irregular edge detail
- Small auto-spacer
- Chroma Color facemix technology

Colors: Beechwood, Mocha, Moonlight Grey, Onyx*
*Onyx is protected with Chroma Shield anti-fade technology.

Ordering and Installation:
- Palletized separately
- Available by pallet or band
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick or Cobble Stone pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/Band	Bands/Pallet	Units/Pallet	Pallet Weight
3/4 Square	6.3 x 4.65 x 2-3/8" H	0.20 sq. ft.	5.42 lbs.	56 (11.4 sq. ft.)	7	392 (80 sq. ft.)	2,148 lbs.
Rectangle	6.3 x 9.45 x 2-3/8" H	0.41 sq. ft.	11.58 lbs.	45 (18.4 sq. ft.)	5	225 (92 sq. ft.)	2,650 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1
3/4 Square = 33%
Rectangle = 67%

Pattern 2
3/4 Square = 33%
Rectangle = 67%

Pattern 3
Rectangle = 100%

Pattern 4
3/4 square = 100%

Pattern 5
Rectangle = 100%

CONTOURS PAVER

Surface and Edges:
- Textured surface, straight/chamfered edge, small auto spacer
- Whispers Technology creates multi-angled color graining mimicking natural stone
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Beige, Flint, Mist

Ordering and Installation:
- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian, pool and non-commercial vehicular applications
- Use 6 x 12 Accent, American Brick, Colonial or Cobble Stone pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	9.85 x 4.95 x 2-3/8" H	0.34 sq. ft.	9.18 lbs.	4			
Medium	9.85 x 9.85 x 2-3/8" H	0.68 sq. ft.	18.37 lbs.	4	10 (8.17 sq. ft.)	120 (81.77 sq. ft.)	2,235 lbs.
Large	14.85 x 9.85 x 2-3/8" H	1.01 sq. ft.	27.29 lbs.	4			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1



Pattern 2



Pattern 3

Patterns shown use full layers.

CONTOURS XL PAVER

Surface and Edges:
- Textured surface, straight/chamfered edge detail, small auto-spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading
- Whispers finishing creates multi-angled color and textured surfaces

Colors: Beige, Flint, Mist

Ordering / Installation:
- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Colonial or Cobble Stone pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
XL Small	9.75 x 19.56 x 2-3/8" H	1.32 sq. ft.	39.5 lbs.	1			
XL Medium	19.56 x 19.56 x 2-3/8" H	2.66 sq. ft.	59.39 lbs.	1	10 (8.0 sq. ft.)	30 (80.0 sq. ft.)	2,230 lbs.
XL Large	19.56 x 29.44 x 2-3/8" H	3.99 sq. ft.	98.9 lbs.	1			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1



Pattern 2



Pattern 3

Patterns shown use full layers.

HOLLAND PAVER

Surface and Edges:
- Smooth top, chamfered edge
- Small auto-spacer
- Chroma Color facemix technology

Colors: Antique Copper, Beechwood, Bone, Mocha, Moonlight Grey, Natural, Onyx*, Rosewood
*Onyx is protected with Chroma Shield anti-fade technology.

Ordering and Installation:
- Available by pallet or band
- Suitable for all pedestrian, pool and all vehicular applications
- Use 6 x 12 Accent, American Brick or Cobble Stone pavers for borders and insets
- Use plate or roller compactor when compacting

Dimensions	Face Area	Weight	Units/Band	Bands/Pallet	Units/Pallet	Pallet Weight
8.5 x 4.25 x 2-3/8" H	0.25 sq. ft.	6.98 lbs.	80	5 (19.6 sq. ft.)	400 (98 sq. ft).	2,841 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1 | Pattern 2 | Pattern 3 | Pattern 4 | Pattern 5

HOLLAND-ECO PAVER (8CM)

Surface and Edges:
- 8cm tall, smooth top, chamfered edge
- Large auto-spacer, high-flow-rate, eco/permeable
- Chroma Color facemix technology

Colors: Beechwood, Moonlight Grey

Ordering and Installation:
- Two-piece, one-pallet system
- Available by pallet
- Suitable for all pedestrian, pool and all vehicular applications
- Palletized with squares. Available without squares is SPECIAL ORDER.
- Compatible with 8cm Pacific-Eco paver
- Use plate or roller compactor when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Rectangle	4.87 x 9.75 x 3-1/8" H	0.33 sq. ft.	11.92 lbs.	28	8 (10.38 sq. ft.)	280 (83 sq. ft.)	3,050 lbs.
Square	4.87 x 4.87 x 3-1/8" H	0.165 sq. ft.	5.9 lbs.	7			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Palletized with squares.



Palletized without squares.



To maintain Herringbone pattern, knit with Holland-Eco.

LAMONT 6 X 8 PAVER

TUMBLED

Surface and Edges:
- Tumbled/aged appearance, straight edge detail
- No auto-spacer
- Thru-mix color; non-facemix

Colors: Antique Brown, Beechwood, Mocha, Onyx, Sierra Grey, Wheat

Ordering and Installation:
- Suitable for all pedestrian, pool and all vehicular applications
- Available by pallet or band
- Use 6 x 12 Accent, American Brick or Cobble Stone pavers for borders and insets
- Use plate or roller compactor when compacting

Dimensions	Face Area	Weight	Units/Band	Bands/Pallet	Units/Pallet	Pallet Weight
8.18 x 6.12 x 2-3/8" H	0.35 sq. ft.	9.38 lbs.	50 (17.8 sq. ft.)	5	250 (89 sq. ft.)	2,410 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.

MEZZANO PAVER

CHROMA COLOR™ CHROMA SHIELD+™

Surface and Edges:
- Textured surface, irregular/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Cascade, Glacier Creek, Santa Fe, Sedona

Ordering and Installation:
- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian, pool and all vehicular applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	5.75 x 5.75 x 2-3/8" H	0.23 sq. ft.	6.47 lbs.	6			
Medium	5.75 x 11.5 x 2-3/8" H	0.46 sq. ft.	12.94 lbs.	6	10 (9.7 sq. ft.)	180 (97 sq. ft.)	2,780 lbs.
Large	11.5 x 11.5 x 2-3/8" H	0.92 sq. ft.	25.89 lbs.	6			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1 **Pattern 2** **Pattern 3** **Pattern 4** **Pattern 5**

Patterns shown use full layers.

MINNETONKA PAVER

CHROMA COLOR™ CHROMA SHIELD+™

Surface and Edges:
- Textured surface, irregular/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Cascade, Glacier Creek, Santa Fe, Sedona

Ordering and Installation:
- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	7.79 x 15.66 x 2-3/8" H	0.85 sq. ft.	22.61 lbs.	2			
Medium	15.66 x 15.66 x 2-3/8" H	1.70 sq. ft.	45.23 lbs.	2	10 (10.2 sq. ft.)	60 (102 sq. ft.)	2,763 lbs.
Large	15.66 x 23.54 x 2-3/8" H	2.56 sq. ft.	68.1 lbs.	2			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1



Pattern 2



Pattern 3



Pattern 4



Pattern 5

Patterns shown use full layers.

PACIFIC-ECO PAVER (8CM)

CHROMA COLOR™ PERMEABLE

Surface and Edges:
- 8cm tall, smooth top, beveled edge
- Large auto-spacer, high-flow-rate, eco/permeable
- Chroma Color facemix technology

Colors: Beechwood, Moonlight Grey

Ordering and Installation:
- Four-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian, pool and all vehicular applications
- Palletized for machine installation
- Use 8cm Holland-Eco Paver for borders and insets
- Use plate or roller compactor when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Sm. Square	4.87 x 4.87 x 3-1/8" H	0.17 sq. ft.	4.98 lbs.				
Sm. Rectangle	4.87 x 9.75 x 3-1/8" H	0.33 sq. ft.	10.27 lbs.	28	7 (13.44 sq. ft.)	224 (94 sq. ft.)	2,913 lbs.
Lg. Square	9.75 x 9.75 x 3-1/8" H	0.66 sq. ft.	20.54 lbs.				
Lg. Rectangle	14.62 x 9.75 x 3-1/8" H	.99 sq. ft.	30.8 lbs.				

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.

Pacific-Eco pallet pattern for machine install. Knit with Holland-Eco.





Pacific-Eco pallet layer for conventional install. Pattern uses one full layer.

RENO PAVER

CHROMA COLOR™

Surface and Edges:
- Smooth surface, irregular/chamfered edge
- Small auto-spacer
- Chroma Color facemix technology

Colors: Cascade, Glacier Creek, Kodiak Sand, Latte, Sahara, Sedona, Sterling

Ordering and Installation:
- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian, pool and all vehicular applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- Use plate or roller compactor when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	4.87 x 9.87 x 2-3/8" H	0.33 sq. ft.	8.86 lbs.	8			
Medium	9.87 x 9.87 x 2-3/8" H	0.67 sq. ft.	17.99 lbs.	6	8 (11.75 sq. ft)	152 (94 sq. ft.)	2,574 lbs.
Large	14.75 x 9.87 x 2-3/8" H	1.01 sq. ft.	27.11 lbs.	5			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Patterns shown use full layers.

SERANO PAVER

CHROMA COLOR™ CHROMA SHIELD+™

Surface and Edges:
- Smooth surface, straight/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Cascade, Glacier Creek, Sahara, Santa Fe, Sedona

Ordering and Installation:
- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian, pool and all vehicular applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- Use plate or roller compactor when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	5.75 x 5.75 x 2-3/8" H	0.23 sq. ft.	6.23 lbs.	6			
Medium	5.75 x 11.5 x 2-3/8" H	0.46 sq. ft.	12.46 lbs.	6	10 (9.7 sq. ft.)	180 (97 sq. ft.)	2,680 lbs.
Large	11.5 x 11.5 x 2-3/8" H	0.92 sq. ft.	24.93 lbs.	6			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1 **Pattern 2** **Pattern 3** **Pattern 4** **Pattern 5**

Patterns shown use full layers.

SILHOUETTE PAVER

CHROMA COLOR™ CHROMA SHIELD+™ WHISPERS TECHNOLOGY™

Surface and Edges:
- Smooth surface, straight/chamfered edge
- Small auto spacer
- Whispers Technology creates multi-angled color graining mimicking natural stone
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Beige, Flint, Mist

Ordering and Installation:
- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian, pool and non-commercial vehicular applications
- Use 6 x 12 Accent, American Brick, Colonial or Cobble Stone pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	9.85 x 4.95 x 2-3/8" H	0.34 sq. ft.	9.18 lbs.	4			
Medium	9.85 x 9.85 x 2-3/8" H	0.68 sq. ft.	18.37 lbs.	4	10 (8.17 sq. ft.)	120 (81.77 sq. ft.)	2,235 lbs.
Large	14.85 x 9.85 x 2-3/8" H	1.01 sq. ft.	27.29 lbs.	4			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.





Patterns shown use full layers.

SILHOUETTE XL SLAB

CHROMA COLOR™ CHROMA SHIELD+™ WHISPERS TECHNOLOGY™

Surface and Edges:
- Smooth surface, straight/chamfered edge detail
- Small auto-spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading
- Whispers finishing creates multi-angled color and textured surfaces

Colors: Beige, Flint, Mist

Ordering / Installation:
- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Colonial or Cobble Stone pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
XL Small	9.75 x 19.56 x 2-3/8" H	1.32 sq. ft.	39.5 lbs.	1			
XL Medium	19.56 x 19.56 x 2-3/8" H	2.66 sq. ft.	59.39 lbs.	1	10 (8.0 sq. ft.)	30 (80.0 sq. ft.)	2,230 lbs.
XL Large	19.56 x 29.44 x 2-3/8" H	3.99 sq. ft.	98.9 lbs.	1			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.


Pattern 1


Pattern 2


Pattern 3

Patterns shown use full layers.

SLATE LANDSCAPE TILES

Surface and Edges:
- Four sizes with 23 unique faces, detailed slate top, chiseled sides
- Strong and durable 10,000 psi wet cast concrete
- Also available in unique 24" x 36" slab

Colors: Bluestone, Cascade

Ordering and Installation:
- Palletized by size, cannot be double stacked
- Available by pallet or piece
- Suitable for all pedestrian and pool applications
- Individual tile dimensions have some variability, gap tiles a minimum of 1/4"
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/pallet	Pallet Weight
Small	12 x 12 x 1-3/4" H	1 sq. ft.	18 lbs.	44 (44 sq. ft.)	840 lbs.
Medium	24 x 12 x 1-3/4" H	2 sq. ft.	35 lbs.	22 (44 sq. ft.)	930 lbs.
Large	24 x 24 x 1-3/4" H	4 sq. ft.	67 lbs.	22 (88 sq. ft.)	1,524 lbs.
XL (not shown)	24 x 36 x 1-3/4" H	6 sq. ft.	107 lbs.	16 (96 sq. ft.)	1,762 lbs.



Pattern 1
Small = 14.2%
Medium = 28.5%
Large = 57.1%



Pattern 2
Small = 28.5%
Medium = 28.5%
Large = 57.1%



Pattern 3
Small = 33.3%
Large = 66.6%



Pattern 4
Small = 14.2%
Medium = 28.5%
Large = 57.1%



Pattern 5
Small = 33.3%
Medium = 22.2%
Large = 44.4%



Pattern 6
Small = 7.7%
Medium = 15.38%
Large = 30.7%
XL = 46.15%

STRATA PAVER

Surface and Edges:
- Smooth surface, straight/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology

Colors: Charcoal, Kodiak Sand, Sahara, Sterling

Ordering and Installation:
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use American Brick, Cobble Stone or Colonial paver for borders and insets
- Use plate or roller compactor when compacting

NEW

Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
23.62 x 11.81 x 2-3/8" H	2 sq. ft.	54.3 lbs.	6	8 (12 sq. ft.)	48 (96 sq. ft.)	2,655 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.

TAHOE PAVER

Surface and Edges:
- Textured surface, straight/chamfered edge
- Small auto-spacer
- Chroma Color facemix technology

Colors: Cascade, Glacier Creek, Latte, Sedona

Ordering and Installation:
- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian, pool and all vehicular applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	4.87 x 9.87 x 2-3/8" H	0.33 sq. ft.	8.86 lbs.	8			
Medium	9.87 x 9.87 x 2-3/8" H	0.67 sq. ft.	18.26 lbs.	6	8 (11.75 sq. ft)	152 (94 sq. ft.)	2,575 lbs.
Large	14.75 x 9.87 x 2-3/8" H	1.01 sq. ft.	27.13 lbs.	5			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Patterns shown use one complete pallet layer.

TITAN SLAB

Surface and Edges:
- Smooth surface, straight/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology

Colors: Kodiak Sand, Pewter, Sahara, Sterling

Ordering and Installation:
- Lifting device recommended
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- Use roller compactor or buffer pad when compacting

Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
23.62 x 35.43 x 2-3/8" H	5.68 sq. ft	153.2 lbs.	2	8 (11.35 sq. ft.)	16 (90.8 sq. ft.)	2,559 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



VISTA SLAB

Surface and Edges:
- Smooth surface, straight/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology

Colors: Charcoal, Kodiak Sand, Sahara, Sterling

NEW

Ordering and Installation:
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use American Brick, Cobble Stone or Colonial paver for borders and insets
- Use plate or roller compactor when compacting

Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
23.62 x 23.62 x 2-3/8" H	4 sq. ft	108.5 lbs.	2	10 (8 sq. ft)	20 (80 sq. ft.)	2,205 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.

WINDOM PAVER

Surface and Edges:
- Smooth surface, straight/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology

Colors: Cascade, Glacier Creek, Kodiak Sand, Latte, Pewter, Sahara, Sedona, Sterling

Ordering and Installation:
- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- Use plate or roller compactor when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	7.79 x 15.66 x 2-3/8" H	0.85 sq. ft.	24.6 lbs.	2			
Medium	15.66 x 15.66 x 2-3/8" H	1.70 sq. ft.	49.1 lbs.	2	10 (10.2 sq. ft.)	60 (102 sq. ft.)	3,005 lbs.
Large	15.66 x 23.54 x 2-3/8" H	2.60 sq. ft.	75.2 lbs.	2			

Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number. Dimensions shown are actual unless noted.



Pattern 1
One full layer

Pattern 2
One full layer

Pattern 3
One full layer

Pattern 4
One full layer

Pattern 5
Two full layers

ACCENTING AND **BORDER** PAVERS



AMERICAN BRICK



AMERICAN BRICK



AMERICAN BRICK + 6 X 12 ACCENT



6 X 12 ACCENT

6 X 12 ACCENT



6 X 12 ACCENT + AMERICAN BRICK



COLONIAL RECTANGLE + 3/4 SQUARE



COLONIAL RECTANGLE + AMERICAN BRICK



COLONIAL 3/4 SQUARE + AMERICAN BRICK



COBBLE STONE + AMERICAN BRICK



COBBLE STONE

With the exception of Pacific-Eco and Holland-Eco, all our pavers are 6cm in height — making it easy to mix and match products for accenting and edging to meet your design goals.

Our endless combinations of paver shapes, colors and textures give designers the freedom to make their hardscape designs truly exceptional. Examples shown are to equal scale.

Rochester Concrete Products™









ROCKWOOD **CLASSIC® 6 AND 8** RETAINING WALLS

Ordering and Installation:
- Specify 6 or 8" height, straight or beveled face
- Strong and versatile, efficient to build, one-unit system
- 1.0" setback; adjustable
- Cap with 4" Universal or Chiseled Cap
- Available by layer or pallet



Straight Split



Beveled Split

Classic 6 Colors: (beveled face) Bluestone, Sandstone Brown, Santa Fe
Classic 6 Colors: (straight face) Bluestone, Charcoal, Grey, Sandstone, Sandstone Brown, Santa Fe
Classic 8 Colors: (beveled face) Grey, Sandstone
Classic 8 Colors: (straight face) Charcoal, Grey, Sandstone, Sandstone Brown

Classic 6 Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Straight Face	18 x 12 x 6" H	0.75 sq. ft.	64 lbs.	12	3	36 (27 sq. ft.)	2,354 lbs.
Straight Base (grey only)	18 x 12 x 6" H	0.75 sq. ft.	64 lbs.	12	3	36 (27 sq. ft.)	2,354 lbs.
Beveled Face	18 x 12 x 6" H	0.75 sq. ft.	60 lbs.	12	3	36 (27 sq. ft.)	2,210 lbs.
Solid Corner Block**	18 x 9 x 6" H	0.66 sq. ft.	76.6 lbs.	5	4	20 (13.2 sq. ft.)	1,582 lbs.

To estimate number of units, divide total sq. ft. by 0.75 for Classic 6.

Classic 8 Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Straight Face	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	3	36 (36 sq. ft.)	3,110 lbs.
Straight Base (grey only)	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	3	36 (36 sq. ft.)	3,110 lbs.
Beveled Face	18 x 12 x 8" H	1.0 sq. ft.	79 lbs.	12	3	36 (36 sq. ft.)	2,895 lbs.
Solid Corner Block**	18 x 9 x 8" H	1.0 sq. ft.	103.4 lbs.	5	4	20 (20 sq. ft.)	2,118 lbs.

Corners are split on one long and one short side. ** Rochester and Beaver Dam only. Dimensions shown are nominal.

ROCKWOOD **CLASSIC® 8 DOT** RETAINING WALL & CAPS

Ordering and Installation:
- Straight face, 1" setback; adjustable
- Iowa, Minnesota and Wisconsin DOT approved
- Manufactured in Rochester, MN (IA & MN) and Beaver Dam, WI (WI)
- Available by pallet

Colors: Grey, Sandstone

Beveled Face is SPECIAL ORDER and can be made in any color, minimum quantity required; customer must take entire production run, returns not allowed.









DOT Blocks/Caps	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Straight Face	18 x 12 x 8" H	1.0 sq. ft.	87 lbs.	12	3	36 (36 sq. ft.)	3,182 lbs.
Beveled Face*	18 x 12 x 8" H	1.0 sq. ft.	82 lbs.	12	3	36 (36 sq. ft.)	3,002 lbs.
4" Flat Cap (WI)	18/14 x 11 x 4" H	1.33 ln. ft.	55 lbs.	9	5	45 (60 ln. ft.)	2,520 lbs.
4" Peaked Cap (MN and IA)	18 W x 12 x 4" H	1.5 ln. ft.	70 lbs.	8	4	32 (48 ln. ft.)	2,290 lbs.

Dimensions shown are nominal.

ROCKWOOD **CLASSIC COLONIAL® 6** RETAINING WALL

Ordering and Installation:
- Multi-unit appearance, rustic face
- A strong and versatile, efficient to build, one or two unit system
- 1.0" setback; adjustable
- To estimate number of Classic Colonial 6 units, divide total sq. ft. by 0.75
- Cap with 4" Universal or Chiseled Cap
- Available by layer or pallet

Colors: Bluestone, Santa Fe, Sandstone Brown



6/12 units are palletized together



18 units are palletized separately

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Colonial 18	18 x 12 x 6" H	0.75 sq. ft.	60 lbs.	12	3	36 (27 sq. ft.)	2,260 lbs.
Colonial 6/12	18 x 12 x 6" H	0.75 sq. ft.	60 lbs.	12	3	36 (27 sq. ft.)	2,260 lbs.
Base Block (grey only)	18 x 12 x 6" H	0.75 sq. ft.	60 lbs.	12	3	36 (27 sq. ft.)	2,260 lbs.

Dimensions shown are nominal.

ROCKWOOD **CLASSIC COLONIAL® 8** RETAINING WALL (special order)

Ordering and Installation:
- Multi-unit appearance, rustic face
- A strong and versatile, efficient to build, one or two unit system
- 1.0" setback; adjustable
- Cap with 4" Universal or Chiseled Cap

Color: SPECIAL ORDER and can be made in any color, minimum quantity required; customer must take entire production run, returns not allowed.



6/12 units are palletized together



18 units are palletized separately

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Colonial 18	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	3	36 (36 sq. ft.)	3,110 lbs.
Colonial 6/12	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	3	36 (36 sq. ft.)	3,110 lbs.
Base Block (grey only)	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	3	36 (36 sq. ft.)	3,110 lbs.

Dimensions shown are nominal.

CONTEMPORARY RETAINING WALL

Ordering and Installation:
- Three-piece set, one-pallet system
- Smooth surfaces, beveled edges, matching Corner/Pillar and Cap blocks
- Builds vertical, freestanding garden/retaining walls, planters, seatwalls and outdoor living features
- Available by layer or pallet

Colors: Beechwood, Cascade, Onyx



Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	8 x 8 x 4" H						
Medium	16 x 8 x 4" H	1.33 sq. ft./set	122 lbs./set	4 sets/layer	5	20 sets (26.6 sq. ft.)	2,480 lbs.
Large	24 x 8 x 4" H						
Corner/Pillar Block	12 x 8 x 4" H	0.33 sq. ft	35 lbs.	20	4	80 (26.6 sq. ft.)	2,480 lbs.
Contemporary Wall Cap*	24 W x 12 x 2-3/8" H	2 ln. ft.	50 lbs.	6	8	48 (96 ln. ft.)	2,450 lbs.

*Mocha, Natural, and Onyx colors. Dimensions shown are nominal.

COTTAGE STONE RETAINING WALL

ROCKWOOD RETAINING WALLS *A better way.*

Ordering and Installation:
- Trapezoid design, split face front/back, beveled face,
- Curved bottom aids fast install, ideal for small garden walls, tree rings and planters
- Rear-lip creates 0.5" setback
- Cap with Mini-Cap
- Available by pallet
- Pallets cannot be double stacked



Colors: Charcoal, Grey, Sandstone, Sandstone Brown

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Cottage Stone	12 x 8.5 x 4" H	0.33 sq. ft.	25 lbs.	16	6	96 (31.68 sq. ft.)	2,450 lbs.

Dimensions shown are nominal. To estimate number of units, divide total sq. ft. by 0.33

LAKELAND RETAINING WALLS

TUMBLED

ROCKWOOD RETAINING WALLS *A better way.*

Ordering and Installation:
- Tumbled, three-piece, two-pallet system with square ends/sides
- Builds vertical, freestanding garden/retaining walls, planters, seatwalls and outdoor living features
- Cap with Chiseled Cap
- To estimate number of units, divide total sq. ft. by 0.33
- Available by layer or pallet



LAKELAND II



STANDARD

Colors: Beechwood, Bluestone, Cascade, Santa Fe, Onyx*

Blocks		Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Lakeland II Small	(two piece set)	4 x 8 x 4" H	0.33 sq. ft.	31 lbs.	20 sets	4	80 sets (26 sq. ft.)	2,530 lbs.
Lakeland II Medium		8 x 8 x 4" H						
Lakeland Standard		12 x 8 x 4" H	0.33 sq. ft.	31 lbs.	20	4	80 (26 sq. ft.)	2,530 lbs.

* Also available non-tumbled, Standard only. Dimensions shown are nominal.

OLYMPIC RETAINING WALL

ROCKWOOD RETAINING WALLS *A better way.*

Ordering and Installation:
- Single-unit, smooth surface w/dramatic beveled edges
- Partial cores with channel/anchor bar design, matching corner/pillar block
- Installs with groove facing up
- Builds vertical, freestanding garden/retaining walls, planters, seatwalls and outdoor living features
- Cap with Contemporary Wall cap
- Available by layer or pallet



Colors: Beechwood, Cascade, Onyx

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Wall	17.25 x 10 x 6" H	0.72 sq. ft.	67 lbs.	12	4	48 (34.5 sq. ft.)	3,266 lbs.
Seatwall/Corner/Pillar	12 x 10 x 6" H	0.50 sq. ft.	57 lbs.	16	3	48 (24 sq. ft.)	2,785 lbs.

Dimensions shown are nominal.

IMPORTANT: Olympic corner/pillar blocks have one <u>non-beveled</u> bottom edge. Install blocks so this side is NOT exposed in freestanding wall, pillar and corner construction.



PALISADE RETAINING WALL

NEW

CHROMA COLOR™

ROCKWOOD® RETAINING WALLS™ *A better way.*™

Ordering and Installation:
- Smooth surfaces, 90˚ corners, chamfered face
- Builds linear gravity walls with 0.75" setback (5.3˚), adjustable to vertical
- Chroma Color facemix technology on face
- Corner/End units have Chroma Color on face and sides
- Lifting device required
- Cap with Contemporary Wall Cap
- For quick and easy Palisade Wall installation, use torpedo base block
- Available by pallet

Colors: Cafe, Cascade



Torpedo Base Block

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Standard	40 x 12 x 8" H	2.22 sq. ft.	330 lbs.	4	2	8 (17.76 sq. ft.)	2,714 lbs.
Corner/End	40 x 12 x 8" H	2.22 sq. ft.	330 lbs.	4	2	8 (17.76 sq. ft.)	2,714 lbs.
Torpedo Base Block	15 x 12 x 4" H	0.44 sq. ft	47 lbs.	-	-	56 (70 ln ft.)	2,828 lbs.

Dimensions shown are nominal.

ROCKWOOD **PREMIER 6** RETAINING WALL

ROCKWOOD® RETAINING WALLS™ *A better way.*™

Ordering and Installation:
- Easy-to-handle for increased efficiencies in the field
- Straight-thru core design; cores fill quickly & easily — void/fill coefficients: 0.011CY (.017 tons)
- Straight-split face, 0.50" (4.7˚) setback
- Ability to construct tight radius turns
- Cap 4" Universal, Contemporary or Chiseled Cap
- Available by layer or pallet

Colors: Bluestone, Cascade, Onyx, Santa Fe



PREMIER® WALL SERIES from Rockwood Retaining Walls

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Premier 6	18 x 12 x 6" H	0.74 sq. ft.	43.5 lbs.	9	5	45 (33.3 sq. ft.)	2,010 lbs.
Solid Corner Block**	18 x 9 x 6" H	0.66 sq. ft.	76.6 lbs.	5	4	20 (13.2 sq. ft.)	1,582 lbs.

Dimensions shown are nominal.

ROCKWOOD **PREMIER 8** RETAINING WALL

ROCKWOOD® RETAINING WALLS™ *A better way.*™

Ordering and Installation:
- Easy-to-handle for increased efficiencies in the field
- Straight-thru core design; cores fill quickly & easily — void/fill coefficients: 0.018CY (.028 tons)
- Straight-split face, 1.0" (7˚) setback
- Ability to construct tight radius turns
- Cap with 4" Universal or Chiseled Cap
- Available by layer or pallet

Colors: Charcoal, Grey, Sandstone, Sandstone Brown



PREMIER® WALL SERIES from Rockwood Retaining Walls

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Premier 8 (Rochester)	18 x 12 x 8" H	1 sq. ft.	57 lbs.	9	4	36 (36 sq. ft.)	2,102 lbs.
Premier 8 (Beaver Dam)	18 x 12 x 8" H	1 sq. ft.	57 lbs.	9	5	45 (45 sq. ft.)	2,615 lbs.
Solid Corner*	18 x 9 x 8" H	1 sq. ft.	100 lbs.	5	4	20 (20 sq. ft.)	2,050 lbs.

*Corners are split on one long and one short side, Rochester and Beaver Dam only. Dimensions shown are nominal.

RECON RETAINING WALL

RECON Wall Systems™

Ordering and Installation:
- Strong, wet cast blocks; 1,457 to 4,088 lbs. ea.
- 24" to 84" D x 48" W x 16" H
- Regular corner and cap blocks
- Half block (24" or 39" deep)
- Full fence or full high end/cap blocks
- DOT approved in Minnesota and Wisconsin
- Order by size/face style, by piece

Color: Natural/Grey; stain after installation



Block	Size W x D x H	Face Area	Unit Weight
Full Base Block - 24"	48 x 24 x 16" H	5.33 sq. ft.	1,457 lbs.
Full Base Block - 39"	48 x 39 x 16" H	5.33 sq. ft.	2,201 lbs.
Full Base Block - 45"	48 x 45 x 16" H	5.33 sq. ft.	2,491 lbs.
Full Base Block - 60"	48 x 60 x 16" H	5.33 sq. ft.	3,115 lbs.
Full Base Block - 66"	48 x 66 x 16" H	5.33 sq. ft.	3,416 lbs.
Full Base Block - 72"	48 x 72 x 16" H	5.33 sq. ft.	3,660 lbs.
Full Base Block - 78"	48 x 78 x 16" H	5.33 sq. ft.	3,902 lbs.
Full Base Block - 84"	48 x 84 x 16" H	5.33 sq. ft.	4,088 lbs.
Full Top Block - 24"	48 x 24 x 16" H	5.33 sq. ft.	971 lbs.
Regular Corner	48 x 24 x 16" H	5.33 sq. ft.	1,401 lbs.
Corner Top	48 x 24 x 16" H	5.33 sq. ft.	1,103 lbs.
Half Block 24"	48 x 24 x 16" H	5.33 sq. ft.	667 lbs.
Half Block 39"	48 x 36 x 16" H	5.33 sq. ft.	973 lbs.
Capstone	48 x 26 x 6.5" H	2.16 sq. ft.	551 lbs.
Fence Middle Block	16 x 48 x 24" H	2.66 sq. ft.	1,449 lbs.
Fence Middle End Block	16 x 48 x 24" H	2.66 sq. ft.	1,476 lbs.
Half Fence Middle End Block	16 x 24 x 24" H	2.66 sq. ft.	709 lbs.
Guardrail Middle Block	16 x 48 x 24" H	2.66 sq. ft.	1,373 lbs.

Dimensions shown are nominal.

LE SUEUR COUNTY LIMESTONE

WEATHERED EDGE

RIVERLAND WALL

TUMBLED

ROCKWOOD RETAINING WALLS *A better way.*™

Ordering and Installation:
- Tumbled, three-piece, one-pallet system with tapered sides
- Builds 7 foot 8 inch radius without cutting
- Cap with Chiseled Cap
- Available by layer or pallet

Colors: Beechwood, Bluestone, Cascade, Onyx, Santa Fe



Blocks		Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small		8 x 8 x 4" H						
Medium	(3 piece set)	12 x 8 x 4" H	1.0 sq. ft.	90 lbs.	5 sets	6	30 (30 sq. ft.)	2,750 lbs.
Large		16 x 8 x 4" H						

Dimensions shown are nominal.

ROSETTA OUTCROPPING WALL

ROSETTA
THE LOOK AND FEEL OF NATURE

Ordering and Installation:
- Strong, wet cast wall blocks for serious performance and curb appeal
- 6", 12", 18" and 24" heights
- Fourteen unique shapes in 2' to 6' widths
- 15˚ setback (3")
- Lifting device required, available for purchase or rent (53 lbs.)
- Use Rosetta Technical Guide for patterns/installation
- Available by pallet

Colors: Copper Canyon, Fond du Lac, Pacific Grey

Pallets	Dimensions (W X H)	Area/Pallet	Pallet Weight
Pallet A	3.5' x 1' + 4' x 1' + 5' x 1' + 5.5' x 1'	18 sq. ft.	4,000 lbs.
Pallet B	2' x .5' + 3' x .5' + 4' x .5' + 4.5' x 1' + 3' x 1' + 6' x 1'	18 sq. ft.	4,000 lbs.
Pallet C	2' x .5' + 3' x .5' + 5' x 1.5' + 4' x 2'	18 sq. ft.	4,000 lbs.
Corner Pallet (3/pallet)	30" x 4' x 1'	19.5 sq. ft.	3,650 lbs.

Dimensions shown are nominal.

ROSETTA KODAH WALL

Ordering and Installation:
- Four-unit system on one pallet
- Two-sided, wet cast blocks build freestanding, vertical seat and retaining walls
- Matching corner/end blocks
- Use Rosetta Technical Guide for patterns/installation
- Available by pallet

Colors: Copper Canyon, Fond du Lac, Pacific Grey

Rosetta installation and pattern guides:
http://tinyurl.com/33wavfz4

Dimensions	Weight Each	Units/Pallet	Pallet Weight
42 x 10.5 x 6" H	200 lbs.	6 (10.5 sq. ft.)	(21 sq. ft.) 2,400 lbs
30 x 10.5 x 6" H	140 lbs.	3 (3.75 sq. ft.)	
21 x 10.5 x 6" H	100 lbs.	6 (5.28 sq. ft.)	
12 x 10.5 x 6" H	50 lbs.	3 (1.5 sq. ft.)	
Corner Pallet (21 x 10.5 x 6" H)	100 lbs.	16 (21 sq. ft.)	2,400 lbs.

Dimensions shown are nominal.

STONEHEDGE 6 RETAINING WALL (special order)

ROCKWOOD
RETAINING WALLS
A better way.

Ordering and Installation:
- Two-sided, split-face front and back
- Vertical system, anchor bar integrates with Classic block systems
- Creates seatwalls, enclosures and privacy walls
- To estimate number of units, divide total sq. ft. by 0.75

Color: SPECIAL ORDER and can be made in any color, minimum quantity required; customer must take entire production run, returns not allowed.



Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
18 x 10 x 6" H	0.75 sq. ft.	64 lbs.	8	3	24 (18 sq. ft.)	1,586 lbs.

Dimensions shown are nominal.

VERSA-LOK STANDARD RETAINING WALL

Ordering and Installation:
- **Limited delivery areas in WI, IL and Indiana**
- Split-face blocks build straight or curved retaining walls
- Split block for corner and freestanding wall construction
- Setback: 0.75"/unit (7°) or vertical
- Cap with 4" Universal cap
- Dry stack/pin connection method (two Versa-Tuf pins required/unit)
- Available by pallet



Colors: Buff, Carmel, Moonlight Gray

Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
14/16 W x 12 D x 6" H	0.667 sq. ft.	82 lbs.	10	4	40 (26.7 sq. ft.)	3,350 lbs.
Versa-Tuff Pin (6.8" x .48" dia.)	-	-	100/Bag			

VINTAGE 6 WALLS

Ordering and Installation
- Three-piece, one-pallet system
- Spilt-faced, vertical wall system with anchor bar connection
- Wall blocks have tapered ends and edges
- Builds straight or 8' radius freestanding or retaining walls without cutting
- End blocks are split three sides, corner/pillar block split two sides
- **Order Split Face or Tumbled**
- Available by pallet or layer



Colors: Beechwood, Bluestone, Cascade, Santa Fe

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	6 x 10 x 6" H	0.25 sq. ft.					
Medium	12 x 10 x 6" H	0.50 sq. ft.	137.5 lbs.	4 sets	5	20 sets (30 sq. ft.)	2,790 lbs.
Large	18 x 10 x 6" H	0.75 sq. ft.					
Small End Block - tumbled	6 x 10 x 6" H	0.42 sq. ft.	81.50 lbs.	8 sets	1	8 sets	702 lbs.
Large End Block - tumbled	12 x 10 x 6" H	0.83 sq. ft.					
Corner - tumbled (full pallets only)	12 x 9 x 6" H	0.50 sq. ft.	48 lbs.	15	2	30	1,490 lbs.
Small End Block - non-tumbled	6 x 10 x 6" H	0.42 sq. ft.	81.50 lbs.	8 sets	3	24 sets	2,006 lbs.
Large End Block - non-tumbled	12 x 10 x 6" H	0.83 sq. ft.					
Corner - non-tumbled (full pallets only)	12 x 9 x 6" H	0.50 sq. ft.	48 lbs.	15	2	30	1,490 lbs.

Dimensions shown are nominal.

RETAINING WALL CAPS

Universal Caps
- Split face front/back
- Available by pallet or layer

4" Colors: Bluestone, Charcoal, Grey, Sandstone, Sandstone Brown, Santa Fe
3" Colors: Beechwood, Bluestone, Cascade, Grey, Onyx, Santa Fe

Contemporary Cap
- Smooth top/sides, beveled edges
- Available by pallet or layer

Colors: Mocha, Natural, Onyx

Mini-Cap: (Cottage Stone)
- Split face front/back
- Available by pallet or layer

Colors: Charcoal, Grey, Sandstone, Sandstone Brown



Block	Dimensions	Face	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
4" Universal*	18/14 x 11 x 4" H	1.33 ln. ft.	54 lbs.	9	5	45 (60 ln. ft.)	2,480 lbs.
3" Universal	12/10.62 x 12 x 3" H	0.94 ln ft.	26 lbs.	12	4	48 (45 ln. ft.)	1,298 lbs.
Contemporary Cap	24 x 12 x 2-3/8" H	2 ln. ft.	50 lbs.	6	8	48 (96 ln. ft.)	2,450 lbs.
Mini-Cap**	8/6 x 9.25 x 3" H	0.67 ln. ft.	15.2 lbs.	52	2	104 (60 ln. ft.)	1,630 lbs.

*To estimate 4" Universal Cap, divide wall length by 1.33 **To estimate Mini-Cap, divide wall length by 0.67. Dimensions shown are nominal.

CHISELED CAPS AND **TOPS**

Ordering and Installation:
- Strong, wet cast reproductions of handcrafted limestone originals
- Available by pallet or piece
- Pallets CANNOT be double stacked

Colors: Bluestone, Buff, Indiana Limestone



Item	Dimensions	Face Area	Weight	Units/Pallet	Pallet Weight
25" Pillar Cap	25 x 25 x 2.25" H	4.34 sq. ft.	110 lbs.	6 (26.04 sq. ft.)	710 lbs.
30" Pillar Cap	30 x 30 x 2.25" H	6.25 sq. ft.	125 lbs.	6 (37.50 sq. ft.)	800 lbs.
8" Radius Seatwall Cap	18.75 x 12 x 2.25" H	1.56 sq. ft.	39 lbs.	15 (23.40 sq. ft.)	635 lbs.
12" Straight Seatwall Cap, chiseled two sides	24 x 12 x 2.25" H	2 sq. ft.	53 lbs.	15 (30 sq. ft.)	845 lbs.
12" Straight Seatwall Cap, chiseled three sides	24 x 12 x 2.25" H	2 sq. ft.	53 lbs.	15 (30 sq. ft.)	845 lbs.
2-sided Bar Top (Indiana Limestone color only)	36 x 48 x 2.25" H	12 sq. ft.	327 lbs.	1 (12 sq. ft.)	377 lbs.
3-sided Bar Top (Indiana Limestone color only)	36 x 48 x 2.25" H	12 sq. ft.	327 lbs.	1 (12 sq. ft.)	377 lbs.
Fire Ring Cap (8 piece set)	52" dia. x 2.25" H		298 lbs.	1 set	298 lbs.

EDGERS - BULLET

Ordering and Installation:
- To estimate number of units, divide lineal ft. by 0.9375
- Available by pallet

Colors: Beechwood, Carmel, Charcoal, Natural, Wheat

Size	Unit ln. ft.	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
4 x 12.25 x 4" H	0.9375 ln. ft.	14 lbs.	36	5	180 (168.75 ln. ft.)	2,570 lbs.

Dimensions shown are nominal.

EDGERS - TUMBLED GRANITE

Ordering and Installation:
- Smooth sides, split face, tumbled
- To estimate number of units, divide lineal ft. by 12
- Available by pallet

Colors: Bluestone, Santa Fe, Onyx

Size	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
12 x 4 x 4" H	16 lbs.	32	5	160 (160 ln. ft.)	2,610 lbs.

Dimensions shown are nominal.

STEPS - CHISELED

Ordering and Installation:
- Strong, wet cast concrete, order by style:
  - ONE-SIDED: Chiseled riser, smooth tread
  - THREE-SIDED: Chiseled riser and sides, rough tread
- One-Sided and Three-Sided steps CANNOT be used together
- Lifting device recommended
- Available by pallet or piece

Colors: Bluestone, Buff, Indiana Limestone

Style	Dimensions	Weight	Units/Pallet	Pallet Weight
One-sided	48 x 18 x 5.75" H	435 lbs.	4	1,790 lbs.
Three-sided	48 x 18 x 5.75" H	435 lbs.	4	1,790 lbs.

Dimensions shown are nominal.

STEP - GRAND (SPLIT-FACE)

Ordering and Installation:
- Straight-split face with smooth tread & sides
- Lifting device recommended
- Available by pallet

- **Colors:** Beechwood, Charcoal, Natural, Wheat



Dimensions	Area	Weight	Units/Pallet	Pallet Weight
48 x 18 x 6" H	6.0 sq. ft.	409 lbs.	6 (36 sq. ft.)	2,504 lbs.

Dimensions shown are nominal.

STEP - IMPERIAL

Ordering and Installation:
- Smooth face, deep bevel front/back, smooth tread/sides
- Lifting device recommended
- Available by pallet

Colors: Mocha, Charcoal, Natural, Wheat



Bevel/gap between two Imperial Steps when installed side by side.

Dimensions	Area	Weight	Units/Pallet	Pallet Weight
48 x 18 x 6" H	6.0 sq. ft.	409 lbs.	6 (36 sq. ft.)	2,504 lbs.

Dimensions shown are nominal.

STEPPING STONES

Ordering and Installation:
- Strong, wet cast reproductions of handcrafted limestone originals
- Four unique shapes, chiseled edge; 1.75" H, (ave. 3.75 sq. ft. ea.)
- Available by pallet
- Pallets CANNOT be double stacked



Colors: Bluestone, Indiana Limestone, Buff

Dimensions	Weight/Set	Sets/Pallet	Pallet Weight
Irregular (1.75" H)	213 lbs.	5 (75 sq. ft.)	1,115 lbs.

Dimensions shown are nominal.

STRATA - GEOGRID

Grid	Item#	Roll Size	Weight	Coverage
Strata Dealer Roll	1178100	4 x 50'	-	22.22 sq. yd.
Strata 200	SGU 60	6 x 300'	95 lbs.	200 sq. yd.
Strata 350	SGU 80	6 x 300'	100 lbs.	200 sq. yd.

STRATA - SLEEVE-IT

Sleeve-It SD-1 is a pre-engineered fence post anchoring solution for fences placed on top of a segmental retaining wall (SRW). SD-1's patent-pending design allows stable fence footings to be integrated into the SRW while it is being constructed. Meets and exceeds IBC 1015.2, IBC 1607.8.1 and ASCE 7 4.5.1 standards.

Item#	Package	Pallet
SD1	5 units (1 pkg.)	45 units/pallet



WALL AND HARDSCAPE **ADHESIVE**

Tube	Approximate length of bead-by-bead diameter: 1/8" Dia.	1/4" Dia.	3/8" Dia.	Item#	Tubes/Case	Pallet Count
10.5 oz. tube	129 ft.	32 ft.	14 ft.	1140001	12	108 cases
29 oz. tube	355 ft.	89 ft.	39 ft.	1140002	12	44 cases

PAVER MATERIAL CALCULATOR

EXCAVATION DEPTH GUIDE: Gravel Base: Use minimum depths in a well-drained area or undisturbed soil. Use maximum depths in poorly drained area or disturbed soil. ½" less is required to compensate compacting of pavers. If soil is saturated more than 50% of the time, filter fabric and extra base should be used.

	Pedestrian Traffic	Light Vehicular Traffic
Pavers	2-3/8"	2-3/8"
Sand	1"	1"
Gravel Base (compacted)	4" – 6"	8" – 12"
Total Excavation Depth	7" – 9"	11" – 15"

GRANULAR BASE CALCULATOR:

_____ (x) _____ (÷) 12 = _____
Sq. ft. of Pavers | Depth of base | Cubic Yards of Base Needed

BEDDING SAND (1" DEPTH) CALCULATOR:

_____ (x) 0.0031 = _____
Sq. ft. of Pavers | Cubic Yards of Sand Needed

WALL MATERIAL CALCULATOR

Use the following methods to estimate the amount of base material, drainage rock, and adhesive needed.

BASE MATERIAL CALCULATOR: A typical trench is 2' wide X 14" deep to bury a full course of 8" block. Base material must be a minimum of 6" in height.

_____ (x) _____ (x) _____ (÷) 27 = _____
Wall Length in ft. | Base Height in ft. | Base Width in ft. | Cubic Yards*

*Add 10% for inconsistencies in the trench and compaction.

DRAINAGE ROCK CALCULATOR:

You need enough drainage rock to fill 1' behind the tail of the block and to fill any cores.

_____ (x) 1.33 (÷) 27 = _____
Wall sq. ft. | Cubic Yards

ADHESIVE CALCULATOR: Adhesive required depends on block type and construction. Use the guide below to estimate the amount of adhesive required.

Approximate length of bead by width:

Tube Size	Bead Widths/Tube		
	1/8"	1/4"	3/8"
10.5 oz.	129 ft.	32 ft.	14 ft.
29 oz.	355 ft.	89 ft.	39 ft.

ONLINE CALCULATOR

Quickly and easily calculate paver and materials requirements from your desktop or mobile device. Send yourself a PDF of the results for your project planning.

Go to: https://rochestercp.com/estimator/

ALLIANCE GATOR SANDS, CLEANERS, SEALING, EDGING

POLYMERIC SAND G2	Item Number	Size / Weight	Quantity / Pallet	Weight / Pallet	Minimum Order
G2 Supersand, Beige	G2supersand001b	50 lbs. Bag	56 Bags	2,800 lbs.	
G2 Supersand, Slate Grey	G2supersand002g	50 lbs. Bag	56 Bags	2,800 lbs.	
G2 Gator Maxx Bond, Beige	G2gatormaxx01	50 lbs. Bag	56 Bags	2,800 lbs.	
G2 Gator Maxx Bond, Grey	G2gatormaxx02	50 lbs. Bag	56 Bags	2,800 lbs.	
G2 Gator Maxx Bond, Ivory	G2gatormaxx03	50 lbs. Bag	56 Bags	2,800 lbs.	
G2 Gator Maxx Bond, Black Diamond	G2gatormaxx04	50 lbs. Bag	56 Bags	2,800 lbs.	
POLYMERIC SAND - GATOR MAXX (NON-G2)					
Supersand, Beige (Non-G2)	Supersand001b	50 lbs. Bag	56 Bags	2,800 lbs.	
Supersand, Slate Grey (Non-G2)	Supersand002g	50 lbs. Bag	56 Bags	2,800 lbs.	
Beige (Non-G2)	Gatormaxx01	50 lbs. Bag	56 Bags	2,800 lbs.	
Grey Non (Non-G2)	Gatormaxx02	50 lbs. Bag	56 Bags	2,800 lbs.	
POLYMERIC SAND - GATOR DUST					
Grey	Gator001	50 lbs. Bag	56 Bags	2,800 lbs.	
Sahara Beige	Gator002	50 lbs. Bag	56 Bags	2,800 lbs.	
RESIN SAND - NITRO					
Beige	Gatornitro01	40 lbs. Pail	48 Pails	1,920 lbs.	
Grey	Gatornitro02	40 lbs. Pail	48 Pails	1,920 lbs.	
Silver	Gatornitro03	40 lbs. Pail	48 Pails	1,920 lbs.	
Black	Gatornitro04	40 lbs. Pail	48 Pails	1,920 lbs.	
RESIN SAND - NITRO-X					
Black	Gatornitrox05	27.5 lbs. Pail	48 Pails	1,320 lbs.	
Gunmetal	Gatornitrox06	27.5 lbs. Pail	48 Pails	1,320 lbs.	
Taupe	Gatornitrox07	27.5 lbs. Pail	48 Pails	1,320 lbs.	
Platinum	Gatornitrox08	27.5 lbs. Pail	48 Pails	1,320 lbs.	
Vanilla	Gatornitrox09	27.5 lbs. Pail	48 Pails	1,320 lbs.	
NAILS					
Common 10"	Nail-Com 10	50 lbs. Approx. 180/Box	48 Boxes	2,400 lbs.	1 Box
Common 12"	Nail-Com 12	50 lbs. Approx. 130/Box	48 Boxes	2,400 lbs.	1 Box
Spiral 10"	Nail-Spi 10	50 lbs. Approx. 250/Box	48 Boxes	2,400 lbs.	1 Box
Spiral 12"	Nail-Spi 12	50 lbs. Approx. 210/Box	48 Boxes	2,400 lbs.	1 Box
Spiral 6"	Nail-Spi 6	50 lbs. Approx. 700/Box	48 Boxes	2,400 lbs.	1 Box
EDGING - PLASTIC					
Gator Edge, Rigid (8' stick)	Gatoredge001	.28 lbs. lf.	5376 lf.	1,510.66 lbs.	1 Bundle (192 lf.)
Gator Edge, Flex (8' stick)	Gatorflex001	.24 lbs. lf.	5376 lf.	1,288 lbs.	1 Bundle (192 lf.)
Gator Edge, Mini-Pro (8' stick)	Gatoredge003	.14 lbs. lf.	3072 lf.	552.96 lbs.	1 Bundle (192 lf.)
Gator Edge, Tile (8' stick)	Gatoredge007	.14 lbs. lf.	3072 lf.	430 lbs.	1 Bundle (192 lf.)
Gator Edge X4 (4' stick)					
Gator Edge X4 (4' stick) Box Promo					
Gator Edge X4 (4' stick) Box + Pallet Promo					
Gator Screws (50 screws/box)	Gatorscrew001	.87 lbs. /package	800 Packages	696 lbs.	1 Pkg
Gator Edge X4	Gatoredgex4	.245 lbs. lf	3072 Lf	752.64 lbs.	1 Bundle (96 Lf.)
Gator Edge X4 Box Promo	Gatoredgex4boxpro2	106 lbs. Box	4 Boxes	424 lbs.	1
Gator Edge X4 Box + Pallet Promo	Gatoredgex4bpprom1	753.34 lbs.	1	753.34 lbs.	1
EDGING - CONCRETE					
Gator Xtreme Edge	Gatorxtreme01	50 lbs. Bag	56 Bags	2,800 lbs.	
BINDERS					
Bond, Binder only (4 units/box)	Gatorrock02	9.02 lbs. Unit	96 Units	865.92 lbs.	1 Box
Bond Kit (Rock & Binder)	Gatorrock05	38.39 lbs. Pail	48 Pails	1,842.72 lbs.	
ADHESIVE-XP LOW VOC POLYURETHANE					
Black Tube 10 oz. (12 units/box)	Gbbxp10.3	12.21 lbs. Box	90 Boxes	1,098.9 lbs.	1 Box
Black Tube 28 oz. (12 units/box)	Gbbxp28	33.11 lbs. Box	60 Boxes	1,986.6 lbs.	1 Box
GATOR BASE					
10 panels/package (57.9 sq. ft)	Gatorbase01	15 lbs.	12 Packages	180 lbs.	1 Pkg

GATOR SPACERS	Item Number	Size / Weight	Quantity / Pallet	Weight / Pallet	Minimum Order
1/4" (6.4mm)	Gatorspacer001	5.26 lbs. Package	144 Packages	757.44 lbs.	1 Pkg
3/16 (4.8mm)	Gatorspacer002	5.26 lbs. Package	144 Packages	757.44 lbs.	1 Pkg
1/8 lf. (3.2mm)	Gatorspacer003	5.26 lbs. Package	144 Packages	757.77 lbs.	1 Pkg
SEALERS - WATER BASED					
Low Gloss - 1 Us Gal	Gatorhybrid021	8.98 lbs. Unit	96 Units	862.08 lbs.	1 Box
Low Gloss - 5 Us Gal	Gatorhybrid03	43.43 lbs. Pail	48 Pails	2,084.64 lbs.	
High Gloss - 1 Us Gal	Gatorhybrid04	8.98 lbs. Unit	96 Units	862.08 lbs.	1 Box
High Gloss - 5 Us Gal	Gatorhybrid05	43.43 lbs. Pail	48 Pails	2,084.64 lbs.	
Low Gloss + Enhancer - 1 Us Gal	Gatorhybrid40	8.98 lbs. Unit	96 Units	862.08 lbs.	1 Box
Low Gloss + Enhancer - 5 Us Gal	Gatorhybrid41	43.43 lbs. Pail	48 Pails	2,084.64 lbs.	
High Gloss + Enhancer - 1 Us Gal	Gatorhybrid44	8.98 lbs. Unit	96 Units	862.08 lbs.	1 Box
High Gloss + Enhancer - 5 Us Gal	Gatorhybrid45	43.43 lbs. Pail	48 Pails	2,084.64 lbs.	
Natural Stone Zero Gloss+Enh. - 1 Us Gal	Gatorseal50	8.93 lbs. Unit	96 Units	857.28 lbs.	1 Box
Natural Stone Zero Gloss+Enh. - 5 Us Gal	Gatorseal51	44.56 lbs. Pail	48 Buckets	2,138.88 lbs.	
Natural Look Water Base - 1 Us Gal	Gatorseal04	9.02 lbs. Unit	96 Units	865.92 lbs.	1 Box
Natural Look Water Base - 5 Us Gal	Gatorseal03	43.43 lbs. Pail	48 Buckets	2,084.64 lbs.	
SEALERS - SOLVENT BASE					
Wet Look - 1 Us Gal	Gatorseal02	8.56 lbs. Unit	96 Units	821.76 lbs.	1 Box
Wet Look - 5 Us Gal	Gatorseal01	42.79 lbs. Pail	48 Buckets	2,053.92 lbs.	
Satin Look - 1 Us Gal	Gatorseal06	8.09 lbs. Unit	96 Units	776.64 lbs.	1 Box
Satin Look - 5 Us Gal	Gatorseal05	40.04 lbs. Pail	48 Buckets	1,921.92 lbs.	
Resealer - 1 Us Gal	Gatorresealer02	7.84 lbs. Unit	96 Units	752.64 lbs.	1 Box
Resealer - 5 Us Gal	Gatorresealer01	39.49 lbs. Pail	48 Pail	1,895.52 lbs.	
Resealer - 53 Us Gal Drum	Gatorresealer03	440 lbs. Drum	1 Drum	440 lbs.	
CLEANERS					
Sealer Stripper - 1 Us Gal	Gatorclean12	8.6 lbs. Unit	96 Units	929.28 lbs.	1 Box
Clean Sealer Stripper	Gatorclean11	43.78 lbs.	48 Pails	2,101.44 lbs.	
Rubber, Paint, Tar Remover - 1 Qt.	Gatorclean01	1.87 lbs. Unit	144 Units	268.28 lbs.	1 Box
XP Oil And Grease Remover - 1 Qt.	Gatorclean0212	2.5 lbs. Unit	144 Units	360 lbs.	1 Box
Rust Remover - 1 qt.	Gatorclean051	2.38 lbs. Unit	144 Units	342.72 lbs.	1 Box
Efflorescence Cleaner - 1 Us Gal	Gatorclean03	9.68 lbs. Unit	96 Units	929.28 lbs.	1 Box
Efflorescence Cleaner - 5 Us Gal	Gatorclean04	47.85 lbs.	48 Pails	2,296.8 lbs.	
Efflorescence Cleaner - 53 Us Gal	Gatorclean06	528 lbs.	4 Drums	1,131 lbs.	
Prof. Gator Grade Efflorescence - 5 Us Gal	Gatorclean040	44.97 lbs.	48 Pails	2,158.56 lbs.	
Shampoo Cleaner - 1 Gal	Gatorclean07	8.99 lbs. Unit	96 Units	863.04 lbs.	1 Box
Shampoo Cleaner - 5 Gal	Gatorclean08	45.98 lbs.	48 Pails	2,207.04 lbs.	
Gatorene - 1 Us Gal	Gatorclean10	8.56 lbs. Unit	96 Units	821.76 lbs.	1 Box
Gator Sprayer	Gatorsprayer01	6 lbs. Box	24 Boxes	144 lbs.	1 Box
Yellow Roller (For Water Base Sealer)	Roller001	2.2 lbs. Box	24 Boxes	52.8 lbs.	1 Box
Black Roller (For Solvent Base Sealer)	Roller006	2.2 lbs. Box	24 Boxes	52.8 lbs.	1 Box
TURF					
Gator X-Turf Premium Blend Forest Green		7.5' x 50'	Roll	289	1 Roll
Gator X-Turf Premium Blend Lime Green		7.5' x 50'	Roll	289	1 Roll
Gator X-Turf Classic Blend Forest Green		7.5' x 50'	Roll	190	1 Roll
Gator X-Turf Classic Blend Lime Green		7.5' x 50'	Roll	190	1 Roll
Gator X-Turf Putting Green Blend		5' x 25'	Roll	218	1 Roll
TURF ACCESSORIES					
Gator X-Turf Infill Sand Beige		50 lb. Bag	56 Bags	2,800	
Gator X-Turf Infill Sand Green		50 lb. Bag	56 Bags	2,800	
Gator X-Turf Infill Sand Zeo White		50 lb. Bag	56 Bags	2,800	
Gator X-Turf Seam Tape		12" x 100' Roll	1 Unit	3.5 lbs.	

GRAND FIREPLACE KITS

Features:
- Includes Majestic Products Villawood 36" stainless steel wood-burning insert, log rack and spark curtain
- 4' stainless stovepipe chimney
- Spark suppressor cap
- Optional **Burner Log Set** (Specify NG or LP when ordering)
- Optional **Grand Wood Box Kit** (available left or right side)
- Optional **Grand Hearth Kit**

Colors: Beechwood, Bluestone, Cascade, Santa Fe
Cap/top Color: Indiana Limestone



Kit	Dimensions	Pallets/Weight	Build Time
Fireplace (33 W x 16 D x 19" H Interior)	60 x 36 x 102" H	5 (9,677 lbs.)	8 hrs.
Hearth	60 x 20 x 10" H	1 (709 lbs.)	3 hrs.
Woodbox (24 W x 28 D x 24" H Interior)	40 x 36 x 50" H	2 (4,061 lbs.)	1 hr.

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned.**

COLONIAL FIREPLACE KITS

Features:
- 2.25" fire brick protects block
- Optional **Woodbox Kit** (available left or right side), optional **Hearth Kit**
- **Gas Burning Option***
  - NG or LP conversion kit, all connections and instructions
  - 2 burner, 52,000 (NG), 49,000 (LP) max Btu's
  - 18" iron log rack, Arizona Weathered Oak ceramic log set
- Optional **Burner Log Set** (Specify NG or LP when ordering)

Colors: Beechwood, Bluestone, Cascade, Santa Fe
Cap/top Colors: Indiana Limestone



Kit	Dimensions	Pallets/Weight	Build Time
Fireplace (29 W x 18.5 D x 26.5" H Interior)	40 x 32 x 70" H	2 (4,360 lbs.)	3 hrs.
Hearth	40 x 12 x 6" H	1 (295 lbs.)	0.5 hr.
Woodbox (24 W x 24 D x 28" H Interior)	32 x 32 x 34" H	1 (1,665 lbs.)	1 hrs

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned.**

COMPACT FIREPLACE KITS

Features:
- 2.25" fire brick protects block
- Optional **Woodbox Kit** (available left or right side), optional **Hearth Kit**
- **Gas Burning Option***
  - NG or LP conversion kit, all connections and instructions
  - 2 burner, 52,000 max Btu's (NG), 49,000 (LP) max Btu's
  - 18" iron log rack, Arizona Weathered Oak ceramic log set
- Optional **Burner Log Set** (Specify NG or LP when ordering)

Colors: Beechwood, Bluestone, Cascade, Santa Fe
Cap/top Color: Indiana Limestone



Kit	Dimensions	Pallets/Weight	Build Time
Fireplace (29 W x 18.5 D x 26.5" H Interior)	40 x 32 x 70" H	2 (3,735 lbs.)	3 hrs.
Hearth	40 x 12 x 6" H	1 (295 lbs.)	0.5 hr.
Woodbox (24 W x 24 D x 28" H Interior)	32 x 32 x 34" H	1 (1,665 lbs.)	1 hrs.

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned.**

VICTORIAN FIREPLACE KITS

Features:
- 2.25" fire brick protects block
- Optional **Woodbox Kit** (available left or right side), optional **Hearth Kit**
- **Gas Burning Option***
  - NG or LP conversion kit, all connections and instructions
  - 2 burner, 52,000 (NG), 49,000 (LP) max Btu's
  - 18" iron log rack, Arizona Weathered Oak ceramic log set
- Optional **Burner Log Set** (Specify NG or LP when ordering)

Colors: Beechwood, Bluestone, Cascade, Santa Fe
Cap/top Color: Indiana Limestone



Kit	Dimensions	Pallets/Weight	Build Time
Fireplace (31 W x 17.5 D x 29.5" H Interior)	52 x 32 x 89" H	5 (6,610 lbs.)	8 hrs.
Hearth	52 x 18 x 10" H	1 (580 lbs.)	1 hr.
Woodbox (24 W x 24 D x 32" H Interior)	32 x 32 x 42" H	2 (2,190 lbs.)	3 hrs.

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned.**

No cutting, no guessing, no hassles – no problem®
necessories™
kits for outdoor living
ROCKWOOD
RETAINING WALLS
A better way

FIRE RING KITS

GRAND GAS FIRE RING KIT

- Push-button electronic ignition
- Firegear's stainless steel drop-in pan and connections (125,000 max Btu/hr) NG
- Flex Frame brackets
- TPSI (Thermocouple Piloted Safety Ignition): Safety valve turns gas off when loss of flame. Easy ignition with Battery Spark Igniter. Robust ignition system with full BTU throughput.
- #304 stainless steel construction
- All connections and fittings preassembled
- 40 lbs. lava rock
- Optional LP conversion kit
- Optional Fire Ring Cap (chiseled edge, eight-piece, in Bluestone, Buff, Indiana Limestone, 2.25" H)
- Optional Arizona Weathered Oak Log Set

Colors: Beechwood, Bluestone, Cascade, Santa Fe



GRAND GAS FIRE RING

GRAND FIRE RING KITS

- Specify 3 or 4 course height when ordering
- One-piece, heavy gauge solid steel insert protects block (48" D x 12" H, 30.5" interior dia. x 8" H, 1.5" flang)
- Optional Fire Ring Cap (chiseled edge, eight-piece, in Bluestone, Buff, Indiana Limestone, 2.25" H)
- Optional Swivel Cooking Grate — removable, heavy steel construction, ADA compliant
- Optional E-Z Access Spark Screen — keep ash/sparks inside and debris out, hinged for easy access
- Optional Cover — heavy galvanized steel with or without cooking grate slot

Colors: Beechwood, Bluestone, Cascade, Santa Fe, Onyx

GRAND FIRE RING - 3 COURSE





GRAND FIRE RING - 4 COURSE

VICTORIAN FIRE PIT KIT

- Four-piece, heavy gauge, solid steel insert protects block
- Optional Swivel Cooking Grate

Colors: Beechwood, Bluestone, Cascade, Santa Fe



VICTORIAN FIRE PIT

Fire Ring Kit	Dimensions	Pallets/Weight	Build Time
Grand Fire Ring (Block Only)	48 x 12" H	1 (1,019 lbs.)	0.5 hr.
Grand Fire Ring, w/Insert (3 Courses)	48 x 12" H	1 (1,057 lbs.)	0.5 hr.
Grand Fire Ring, w/Insert (4 Courses)	48 x 16" H	1 (1,403 lbs.)	0.5 hr.
Grand Fire Ring, w/Cooking Grate (3 Courses)	48 x 12" H	1 (1,085 lbs.)	0.5 hr.
Grand Fire Ring, w/Cooking Grate (4 Courses)	48 x 16" H	1 (1,673 lbs.)	0.5 hr.
Victorian Fire Pit (Block Only, 3 Courses)	48 x 12" H	1 (1,285 lbs.)	0.5 hr
Victorian Fire Pit, w/Steel Insert (3 Courses)	48 x 12" H	1 (1,310 lbs.)	0.5 hr.
Grand Gas Fire Ring (Natural Gas)	48 x 20" H	1 (1,710 lbs.)	0.5 hr.

Options/Accessories	Dimensions	Weight
Fire Ring Cap* (Indiana Limestone, Bluestone, or Buff)	52 dia. x 2.25" H	298 lbs.
Grand Cover (Heavy, Galvanized Steel)	37.9 dia. x 2.88" H	27 lbs.
Grand Cover w/Slot for Swivel Cooking Grate (Heavy, Galvanized Steel)	34.9 dia. x 1.88" H	27 lbs.
Grand Steel Ring Insert (Solid, 10-Guage Steel w/1" Top Lip)	33.5 x 33.5 x 8.5" H	34 lbs.
Grand Swivel Cooking Grate (300 sq. in., ADA Approved, Removable)	19.25 x 17.5 x 2" H	10 lbs.
E-Z Access Spark Screen (Round, Hinged Spark Screen)	40 dia. x 18" H	22 lbs.
Grand Gas Fire Ring LP Gas Conversion Kit	-	-
AZ Weathered Oak Gas Log Stack (9 Piece Ceramic, 16" H)	16" H	36 lbs.
Square Insert for Victorian or Barn Plank Fire Pits (4-piece 10-Guage Steel w/1" Top Lip)	33.5 x 33.5 x 8.5" H	34 lbs.
Swivel Cooking Grate for Square Insert (300 sq. in., ADA Approved, Removable)	19.25 x 17.5 x 2" H	10 lbs.

*Cannot be double stacked. Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned.**

SEATWALL AND **PILLAR** KITS

a) **20" PILLAR KIT:**
• 2.25" H chiseled cap

b) **24" PILLAR KIT:**
• 2.25" H chiseled cap

c) **LAKELAND SEATWALL KIT:**
• Creates a 6' straight wall
• Optional chiseled cap

d) **RIVERLAND SEATWALL KIT:**
• Creates an 8' radius wall
• Optional chiseled cap

Colors: Beechwood, Bluestone, Cascade, Santa Fe
Cap/top Color: Indiana Limestone



Kit	Dimensions	Pallets/Weight	Build Time
a) 20" Pillar (25 x 25 x 2.25" Top, Indiana Limestone only)	20 x 20 x 38" H	1 (1,260 lbs).	0.5 hr.
b) 24" Pillar Kit (30 x 30 x 2.25" Top, Indiana Limestone only)	24 x 24 x 39" H	1 (1,665 lbs.)	0.5 hr.
c) Lakeland Seatwall	72 x 8 x 20" H	1 (1,075 lbs.)	0.5 hr.
d) Riverland Seatwall	108 x 8 x 20" H	1 (1,400 lbs.)	0.5 hr.

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned. Kits can be ordered with or without tops.**

WOODBOX/STAND KIT

Features:
• Ideal for table top grills and pizza ovens
• Large opening for storage
• One-piece, chiseled edge top in Indiana Limestone

Colors: Beechwood, Bluestone, Cascade, Santa Fe



Dimensions	Pallets/Weight	Build Time
36 x 32 x 34" H	1 Pallet: (2,165 lbs.)	1 hr.

Build time assumes two people with limited skills and base work is complete prior to construction.
Kits cannot be returned. Kits can be ordered with or without tops.

GRAND ISLAND BAR KITS

a) **GRAND ISLAND BAR/GRILL WITH STORAGE KIT:**
- Summerset Sizzler Pro 32" grill*
- Stainless steel double doors - vented
- Silver Creek chiseled edge tops in Indiana Limestone
  - two piece tops will not join up seamlessly

---

b) **GRAND ISLAND BAR/GRILL WITH REFRIGERATOR OPENING KIT:**
- Summerset Sizzler Pro 32" grill*
- Stainless steel double doors - vented
- Silver Creek chiseled edge tops in Indiana Limestone
  - two piece tops will not join up seamlessly
- 24" x 36" x 28" H opening

***SUMMERSET SIZZLER PRO GRILLS:**
- #443 and 304 stainless steel construction
- Push-to-turn knob ignition 3" Heat Indicator
- 14,000 BTU #304 cast stainless steel burners
- 15,000 BTU infrared back burner
- Natural gas or propane fuel
- Double-lined hood assures optimal airflow
- 8mm cooking grates won't warp or rust
- Easy-clean briquette system for even heat
- 30" double stainless doors (Only w/Kit)
- LED exterior lights*
- Heat zone separators
- Twin Interior cooking lights*

Designate NG or LP fuel when ordering.

Deluxe Rotisserie: (optional)
- #304 stainless steel, heavy-duty motor and 25 lb. capacity*

*Pro Sizzler features require 120 volt electrical

---

c) **GRILL SURROUND KIT:**
- For standing grills, 60" opening
- Silver Creek chiseled edge tops in Indiana Limestone
  - Two-piece tops will not join up seamlessly

---

d) **GRAND ISLAND BAR 8' KIT**
- Silver Creek chiseled edge tops in Indiana Limestone
  - Two-piece tops will not join up seamlessly

Colors: Beechwood, Bluestone, Cascade, Santa Fe

Note: Grand Island Bar kits are for stand-alone construction!





SUMMERSET





Kit	Dimensions	Pallets/Weight	Build Time
a) Grand Island Bar w/Grill with Storage and 32" Sizzler Pro Grill	96 x 48 x 46" H	4 (7,341 lbs.)	7 hr.
b) Grand Island Bar w/Grill with Refrigerator Opening and 32" Sizzler Pro Grill	96 x 48 x 46" H	4 (7,341 lbs.)	7 hr.
c) Grand Island Grill Surround (Accomodates 60" Wide Freestanding Grill)	96 x 48 x 46" H	2 (4,915 lbs.)	4 hr.
d) Grand Island Bar	96 x 48 x 46" H	3 (7,271 lbs.)	6 hr.

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned. Kits can be ordered with or without tops.**

GRANITE TOP GRILL KITS

Features:
- Easy-to-read, step-by-step instructions
- Premium stainless steel grills and components
- Concrete precut and reinforcements sized to fit
- VOC-compliant adhesive and gloves
- High-grade, 3cm Solid Granite Tops in Black Pearle or Viscon White

Colors: Beechwood, Bluestone, Cascade, Santa Fe

***SUMMERSET SIZZLER PRO GRILLS:**
- #443 and 304 stainless steel construction
- Push-to-turn knob ignition 3" Heat Indicator
- 14,000 BTU #304 cast stainless steel burners
- 15,000 BTU infrared back burner
- Natural gas or propane fuel
- Double-lined hood assures optimal airflow
- 8mm cooking grates won't warp or rust
- Easy-clean briquette system for even heat
- 30" double stainless doors (Only w/Kit)
- LED exterior lights*
- Heat zone separators
- Twin Interior cooking lights*

Designate NG or LP fuel when ordering.

Deluxe Rotisserie: (optional)
- #304 stainless steel, heavy-duty motor and 25 lb. capacity*

*Pro Sizzler features require 120 volt electrical



SUMMERSET



Kit	Dimensions	Pallets/Weight	Build Time
40" Sizzler Pro Grill Cabinet (5 burner)	56 x 28 x 37" H	2 (2,890 lbs.)	6 hrs.
Summerset Sizzler Pro 40" Grill, 30" vented double doors, grill cover, 14,000 max Btu			
32" Sizzler Pro Grill Cabinet (4 burner)	48 x 28 x 37" H	2 (2,535 lbs.)	5 hrs.
Summerset Sizzler Pro 32" Grill, 30" vented double doors, grill cover, 14,000 max Btu			
Deluxe Rotisserie Kit (optional) #304 stainless steel, heavy-duty motor, 25 lb. capacity.			
Grill Cover (replacement)			

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned. Kits can be ordered with or without tops.**

CONTEMPORARY OUTDOOR LIVING KITS

STANDARD FEATURES:

- Easy-to-read, step-by-step instructions
- Rockwood's Contemporary Wall block
- Concrete precut and reinforcements sized to fit
- VOC-compliant adhesive and construction gloves

e) CONTEMPORARY ISLAND BAR/GRILL:
- Summerset Sizzler Pro 32" stainless grill with cover
- Stainless steel, vented double doors and paver vent kit
- In Beechwood or Cascade + Onyx band
- Three-piece, 3cm black pearl granite top
- LP or NG fuel

c) CONTEMPORARY WOOD BURNING FIRE PIT:
- Four courses (Beechwood or Cascade) + Onyx band
- Heavy-gauge, four-piece steel insert
- Optional, removable swivel cooking grate
- Optional Contemporary Wall Cap (in Cascade or Onyx)

d) CONTEMPORARY GAS BURNING FIRE TABLE:
- Four corner/pillar block courses (Beechwood or Cascade) + Onyx band
- Contemporary Wall Cap (Onyx)
- Firegear's stainless steel drop-in pan and connections (100,000 max Btu)
- Piloted thermocouple safety valve, manual spark ignitor, lava rock and vent kit
- LP or NG fuel



a) CONTEMPORARY FIREPLACE KIT:
- With protective firebrick
- In Beechwood or Cascade + Onyx bands
- 2.5" H Silver Creek chisled mantels/tops
- Optional Hearth Kit (one pallet, 600 lbs.)
- Optional Woodbox Kit

b) CONTEMPORARY GAS BURNING FIRE PIT:
- Four courses (Beechwood or Cascade) + Onyx band
- Contemporary Wall Cap (Onyx)
- Firegear's stainless steel drop-in pan and connections (150,000 max Btu)
- Piloted thermocouple safety valve, manual spark ignitor, lava rock and vent kit
- LP or NG fuel



Kit	Pallets	Pallet Weight
a) Fireplace (Protective Firebrick, Silver Creek Chiseled Mantel/tops)	4/5	9,136 lbs.
- Woodbox (Silver Creek Chiseled Top)	1	1,930 lbs.
- Hearth (Silver Creek Chiseled top)	1	600 lbs.
b) Gas Fire Pit with Stainless Steel Burner/insert, Vent Kit. Specify LP or NG Fuel.	1	2,115 lbs.
c) Fire Pit with 4-piece Steel Insert	1	1,690 lbs.
- Fire Pit with 4-piece Steel Insert and Removable Swivel Cooking Grate	1	1,705 lbs.
- Optional Fire Pit Cap (Contemporary Cap Block in Onyx)	1	450 lbs.
d) Gas Fire Table with Stainless Steel Burner/insert, Vent Kit. Specify LP or NG fuel.	1	2,050 lbs.
e) Island Grill with 32" Sizzler Pro Drop-in Grill, Cover, Black Pearl Granite Top, Stainless Double Door	4	5,860 lbs.

Kits cannot be returned.

POLICIES, CREDIT TERMS AND CONDITIONS

ORDERING POLICY:
Purchase orders must be emailed or entered on-line.

DISPATCH/YARD HOURS:
- April 1 – Oct. 31: (7:30 a.m. - 5:00 p.m.)
- Nov. 1 – Mar. 14: (8:00 a.m. - 3:30 p.m.)

ORDER ON-LINE:
- http://order.rochestercp.com/
- Upon receipt of an order, buyer will receive an Order Acknowledgment with order details and costs. Unless changes are communicated to dispatch, orders will be processed and invoiced as shown on the Order Acknowledgment.
- The acceptance of an order by RCP shall constitute a binding contract of purchase and sale in accordance with the terms and conditions stated in this agreement.
- All sales made assume buyer has seen and approved actual sample(s). Exact color match cannot be guaranteed
- The use of any material by, or on behalf of the buyer, shall constitute acceptance of the material by the buyer.

CREDIT CARD POLICY:
- Credit card payments are not allowed for payments on accounts.
- All orders paying by credit card will be charged an additional 3.95% service fee whether card is presented or not.

ACCOUNTS POLICY:
- All credits will be applied to accounts towards balance on-hand or future purchases. No credit checks will be given.
- C.O.D orders must be paid with cash, credit card, certified check, or prior-approved check.
- All accounts are payable IN FULL within 30 days from the date of invoice. After 30 days, 1% interest will be charged per month (12% annually), calculated monthly on the balance at the end of the period. If any amount is past due on the account, the entire account is in default and (at the option of the seller), becomes due and payable immediately.

PARTIAL PALLET POLICY:
- A $25 per pallet fee will be assessed for all partial pallet orders (any quantity other than original full pallet packaging).

PALLET RETURN POLICY:
- Receipts will be given for pallets returned to any RCP yard. After careful inspection, customer accounts will be credited for returned pallets that are in good/re-usable condition. RCP reserves the right to deduct pallet costs based on pallet condition and does not guarantee any credit amount. Returned Pallet Credits will be applied to accounts for future purchases.

MATERIAL RETURN POLICY:
- Materials ordered in excess of the Buyer's requirements, or in error, or otherwise, may not be returned without the written consent of the Seller.
- Returns after 30 days from delivery date are subject to a 25% restocking fee.
- MATERIALS OLDER THAN 60 DAYS FROM DELIVERY DATE CANNOT BE RETURNED.
- Materials being returned must have original pallet tag(s).
- Only full pallets of material will be accepted for return, no broken/partial pallets.
- Necessories kits or components cannot be returned.
- All returns will be credited to the account.

DEFECTIVE MATERIAL POLICY:
- **CLAIMS FOR DEFECTIVE MATERIAL MUST BE MADE WITHIN 3 DAYS OF DELIVERY.** Defective material will be replaced at no charge or credited to accounts. Free replacement will be the extent of the Sellers' warranty. Any such defective material claim does not constitute justification for short pay or delayed payment. All other claims must be submitted within 30 days of purchase.
- Unsuitable or defective materials must be available for inspection by the Seller. If the Seller is unable to inspect defective material, buyer must submit photographs that clearly show material quality issues or damages. Buyer is required to submit pallet tags to verify the production lot/manufacturing date.
- Seller has final determination for the credit amount or the material quantity to be replaced.

SPECIAL RUN POLICY:
- Special orders are subject to approval on a case-by-case basis.
- $550 set-up fee for standard colors
- Special runs for colors not currently produce by RCP and affiliates will be quoted on a per job basis. Contact your RCP sales rep for a quote.
- Customer will receive project quote from sales with estimated completion date. Customer must use this quote sheet at time of ordering.
- 5-10% overage will be run on each project and is the responsibly of the customer to take all product produced.
- All special run orders must be shipped within ten business days of manufacture (after ten business days, additional fees will be assessed).
- Special run orders cannot be cancelled or returned. Customers who refuse delivery of any part of a special run will be invoiced for entire order.

CREDIT TERMS AND CONDITIONS
- Except as otherwise provided by written agreement subsequently executed by both Buyer and Seller, these Terms and Conditions, and the terms in Seller's invoices shall supersede the terms and conditions of Buyer's order (including, without limitation, any statement that Buyer's terms or conditions are to take precedence over any contrary provisions), and no prior or subsequent understanding, oral representation, agreement, term, condition, or trade custom at variance with or supplemental to these Terms and Conditions shall be binding on the Seller.
- Any extension of credit is issued pursuant to the information and financial representations made herein by said credit applicant and/or said guarantors.
- An emailed credit application will be deemed as original.
- Except as otherwise provided by written agreement subsequently executed by both Buyer and Seller, all amounts are due IN FULL net 30 days from date of invoice. Any such amounts not paid when due shall become delinquent and shall bear a late fee at the rate of one percent (1%) per month, or an ANNUAL PERCENTAGE RATE OF 12%.
- Rochester Concrete Products, LLC may decline further credit purchases if any portion of the account is past due.
- Returned checks are subject to a $30.00 processing fee (or the maximum allowed by law in the state of acceptance).
- The privilege of making credit purchases will be terminated if there is any change in the applicant's ownership, management, or form of business organization unless Rochester Concrete Products, LLC is notified and agrees to such a change.
- Any amounts paid under this agreement by the Buyer to Rochester Concrete Products, LLC may be applied by Rochester Concrete Products, LLC to outstanding principal and interest as Rochester Concrete Products, LLC deems appropriate.
- Customer is responsible for all collection costs and legal fees if payment is not received pursuant to these Terms and Conditions.

GENERAL TERMS AND CONDITIONS OF SALE

THESE GENERAL TERMS AND CONDITIONS OF SALE (THESE "TERMS AND CONDITIONS") WILL APPLY TO THE SALE OF GOODS AND ANY (IF ANY) APPLICABLE SERVICES (COLLECTIVELY, WITH ANY SUCH SERVICES, BEING THE "GOODS") PURSUANT TO ANY CONTRACT (A "CONTRACT") TO WHICH THESE TERMS AND CONDITIONS ARE MADE APPLICABLE. AS USED IN THESE TERMS AND CONDITIONS, "WE," "US," "OUR" AND SIMILAR TERMS REFER TO ROCHESTER CONCRETE PRODUCTS, LLC, AND "CUSTOMER" MEANS THE PARTY PURCHASING THE GOODS FROM US.

ALTERATION: No provision in these Terms and Conditions may be varied or waived except by a writing signed by us specifically referring to these Terms and Conditions and describing such variance or waiver. Our acceptance or acknowledgment of Customer's purchase order or any other document pertaining to the Goods, even if in writing and signed by us, will not be deemed an acceptance of any provision of Customer's purchase order or any other document that conflicts with or adds to these Terms and Conditions, absent a separate agreement in writing signed by us expressly acknowledging and agreeing to such provisions. Without limiting the generality of the foregoing, we object to any different or additional terms or conditions contained in any request for quotation, purchase order or other document of Customer, and no such terms will be effective or binding upon us unless we agree to such terms in a writing signed by one of our officers. In no event will our delivery of any Goods be an assent to any such terms proposed by Customer. Unless otherwise expressly stated in any applicable quotation or comparable document signed by us, we may revoke any quotation or other offer at any time prior to acceptance, and no such quotation or other offer will be valid for more than 30 days. After acceptance of an order, Customer may not cancel or terminate any Contract without our consent, except as provided herein or by applicable law.

PAYMENT; DELIVERY: All prices are quoted and all payments will be made in U.S. Dollars. Customer will pay our invoices IN FULL on the terms stated in the applicable invoice, without set-off or counterclaim. Past due invoices will bear a late fee of 1.0% per month or, if less, the highest rate permitted by applicable law. Any stated shipment or delivery date is the date on which we in good faith believe the Goods will be shipped, but failure to ship on that date will not be a breach of the Contract, whether such Goods are in fact shipped before or after that date. All Goods are shipped Ex Works (Incoterms 2010) at our facilities, and costs of transportation and risk of loss during shipment will be borne by Customer. We may deliver any Goods hereunder in installments, in which case each installment will be treated as a separate sale hereunder and may be separately invoiced. Customer will pay all duties and sales, value-added, excise, use or other taxes arising in connection with any transaction (other than taxes based solely on our taxable income). Unless otherwise specified, Goods will be shipped in packaging we reasonably select.

DUTY TO INSPECT: Customer will inspect all Goods promptly upon delivery and notify us promptly upon becoming aware of any non-conformity to the Contract. Except as stated regarding any applicable written warranty, we will have no liability regarding any such non-conformity unless such notice is given to us no later than (i) for a defect that could be determined by inspection upon delivery, the 30th day after delivery of such Goods, or (ii) for any other defect, the 30th day after such defect should reasonably have been discovered by Customer, but in each event not later than the 60th day after delivery of the Goods to Customer. Shipments less than 5% over or under the quantity specified in the Contract will be deemed in conformance with the Contract. Goods will not be deemed non-conforming solely by reason of minor modifications or changes in materials from those specified in the Contract, so long as such modifications and changes do not materially and adversely affect the performance of the Goods. If the Goods do not conform to the Contract, our obligation will be limited to, at our election, supplying the missing Goods, replacing the relevant Goods, or refunding the purchase price paid for such Goods (but in all cases as otherwise may be limited in any other Paragraph of these Terms and Conditions or the Contract).

SECURITY INTEREST: We reserve, and Customer hereby grants to us, a security interest in all Goods. That security interest secures all present and future obligations of Customer to us, including but not limited to the obligation to pay the price of the Goods. We may make any such filings as reasonably necessary to perfect such security interest (and Customer will cooperate promptly in all reasonable respects in connection therewith).

OUR WARRANTY: Customer will ensure that any written warranty that we provide with the Goods is properly given to the end user of the Goods (whether by providing such warranty directly or causing Customer's contractors to do so).

LIMITED WARRANTY: We make no warranty of any nature whatsoever with respect to the Goods, other than any written, limited warranty that we may provide at the time we provide the Goods. If Customer discovers any breach of or similar creation of obligation under the warranty described above, Customer must notify us in writing thereof within 30 days after such discovery. Within a reasonable time following such notification, we will determine whether such warranty in fact applies and will, at our option, either (i) repair or replace the applicable Goods, (ii) remit to Customer the purchase price paid for such Goods, or (iii) take any other action consistent with the terms of such warranty. The foregoing warranties are exclusive. we make no other warranty, express or implied, including but not limited to any implied warranty of merchantability, non-infringement or fitness for a particular purpose. the remedies set forth in this paragraph are the exclusive remedy for any breach of or similar creation of obligation under warranty. The remedies set forth in this Paragraph will not be deemed to have failed of their essential purpose so long as we are willing and able to provide one of the applicable remedies set forth herein.

LIMITATIONS: Without limiting any other limitation of liability, in no event will we be liable for any incidental, indirect or consequential damages of any kind, whether for breach of any warranty, breach or repudiation of any other term or condition, negligence, strict liability, or otherwise. In no event will our aggregate liability to, through or on behalf of customer in any way related to this or any related transaction exceed the total amount paid to us under the applicable contract.

FORCE MAJEURE: We will not be liable for any failure to manufacture, deliver or provide, or for any delay in the manufacture, delivery or provision of, any Goods if such failure or delay is caused by act of God, fire, strike, blackout, labor difficulty, riot, inability to obtain raw materials, supplies or other goods or services, equipment, labor or transportation, governmental restrictions, public health nuisance, or similar cause over which we are unable to exercise adequate control. We may cancel any Contract by notice to Customer if we determine in good faith that any such cause makes performance of the Contract impossible or commercially impracticable for us.

CONFIDENTIAL INFORMATION: "Confidential Information" means information that you obtain from or regarding us regarding our products, business practices, customers, assets or other matters, excluding any information that is publicly available when provided or thereafter becomes publicly available, other than by reason of your breach hereof. You will (i) not use any Confidential Information other than for the performance of any Contract, (ii) not disclose Confidential Information, except to your employees and contractors requiring such information for the performance of any Contract, (iii) use your best efforts to prevent your employees, your contractors, and your contractors' employees from using or disclosing Confidential Information to any party, except as permitted by this Paragraph, and (iv) return all Confidential Information to us upon our request following completion or termination of any Contract. This Paragraph (and all related rights and remedies) will survive performance or termination of any Contract.

MISCELLANEOUS: All rights and obligations under these Terms and Conditions and any Contract will be governed by the laws of the State of Minnesota (without regard to principles of conflicts of law). The headings herein are for convenience of reference only and will not affect any meaning or interpretation. The United Nations Convention on Contracts for the International Sale of Goods will not apply.

Customer hereby irrevocably submits to the exclusive jurisdiction of any court sitting in Hennepin county, Minnesota, in any proceeding arising out of or relating to the interactions between us and customer and to the respective court to which an appeal of the decisions of any such court may be taken, and customer agrees not to commence, or cooperate in or encourage the commencement of, any such proceeding, except in such a court. Customer hereby irrevocably waives, to the fullest extent it may do so, the defense of an inconvenient forum to the maintenance therein of such a proceeding. customer hereby agrees that a final judgment in any such proceeding will be conclusive and may be enforced in any jurisdiction by suit on the judgment or by any other manner provided by applicable law. Customer hereby expressly waives any right it may have to a jury trial in any such proceeding. no claim or action, regardless of form, arising out of the interactions between us and customer may be brought by or on behalf of customer more than one year after the cause of action has accrued (subject to any further applicable limitation). If any such legal action is brought, the prevailing party will be awarded reasonable attorneys' fees in addition to any other relief that may be granted.

LIMITED LIFETIME WARRANTY

Applicable to Pavers, Slabs, Segmented Retaining Walls (SRWs), and Free-Standing Walls (FSWs))

ROCHESTER CONCRETE PRODUCTS (RCP) DESIGNS AND MANUFACTURES PRODUCTS BUILT TO WITHSTAND THE TEST OF TIME — THE EVERYDAY CHALLENGES OF WEATHER, USE, AND NATURE.

OUR LIMITED LIFETIME WARRANTY ASSURES HOMEOWNERS CAN REST ASSURED THAT WHAT'S MEANT TO LAST, WILL LAST — AND IF IT DOESN'T, RCP WILL STAND BEHIND IT.

IMPORTANT NOTICE

Read this entire RCP Limited Lifetime Warranty and Limitation of Liability ("Limited Warranty"). Proper installation and maintenance are essential for our products to perform successfully throughout their intended lifespan. The contractor must install products in accordance with the masonry industry's best practices as defined by the Concrete Masonry and Hardscapes Association (CHMA) standard specifications, and the manufacturer's instructions. Installation guides, technical data, and product specifications can be found at www.rochestercp.com.

Installers and design professionals are responsible for reviewing applicable technical information and, when required by site conditions, obtaining independent soil testing, quality assurance inspection, and design services necessary to ensure a safe and functional installation.

Rochester Concrete Products is not liable or responsible for loss or damage resulting from improper storage, handling, lack of or poor maintenance practices, or faulty installation.

COVERAGE

This Limited Warranty applies only to RCP-manufactured products purchased and used as part of Rockwood Retaining Wall or Hardscape Systems installed in owner-occupied single-family homes within the United States, subject to the stated conditions and limitations.

This warranty does not extend to any current or future products distributed, but not manufactured, by RCP, nor does it apply to commercial, governmental, or multi-residential applications.

TERMS OF COVERAGE

This limited warranty covers any structural failure or deterioration of the concrete products manufactured by RCP resulting from normal use. RCP warrants that its products will be free from manufacturing defects that impact the structural performance of RCP products for as long as the original homeowner owns their home.

While RCP tries to prevent damage during shipping & handling, some minor damage to individual pieces is routine for all hardscape products. Contractors should anticipate up to a 3% waste factor when bidding jobs.

Purchasers need to ensure that the product purchased is appropriate for the intended application; for example, only certain products are appropriate for use with vehicular traffic.

RCP reserves the right to seek a professional diagnosis and opinion to determine the exact cause of the product failure. If the failure falls within this warranty program's parameters and RCP is given prompt notice of a defect, RCP shall, at its sole option:

1. Repair or replace the defective product(s), or
2. Refund the original purchase price of the defective product(s).

If RCP elects to replace damaged product, color matching of the replacement product and/or lost time cannot be guaranteed and if replacement is elected, RCP's sole obligation is to deliver suitable replacement product to the property. Labor costs related to installing replacement product is not included as part of this warranty.

If RCP elects to repair damaged product, it will provide labor necessary for the repair.

This Limited Lifetime Warranty is provided only to the original owner(s) of the home and may not be transferred.

LIMITATION OF LIABILITY

This Limited Warranty defines the maximum liability for RCP products.

IN NO EVENT (INCLUDING WHERE THIS LIMITED WARRANTY IS DEEMED NOT TO APPLY) SHALL ROCHESTER CONCRETE PRODUCTS, GLS INDUSTRIES, INC., OR ROCKWOOD RETAINING WALLS, INC. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE SALE, INSTALLATION, OR USE OF ANY RCP PRODUCTS.

Some states do not allow the exclusion or limitation of incidental or consequential damages; in those states, the limitation may not apply.

LIMITATION OF WARRANTY

RCP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

DISCLAIMER – WHAT THIS WARRANTY DOES NOT COVER

RCP is not responsible for, and this Limited Warranty does not cover:

1. Product failure, loss, or damage due to:
- Normal wear and tear
- Improper handling or installation
- Repeated or extended contact with chemicals, including de-icers
- Acts of God
- Structural settlement, movement, or vibration
- Products not paid for in full

2. Minor imperfections, including:
- Minor texture or color variations
- Minor imperfections in shape, dimensions, or appearance
- Efflorescence (white powdery surface film)
- Other surface characteristics covered under ASTM C1372 standards

CONDITIONS OF WARRANTY

Prompt Notice of Defect:
Homeowners must notify RCP in writing of any defect within one (1) year of discovery, and in no case later than one (1) year from when the defect should have been discovered. Failure to notify RCP within this timeframe will void this warranty for that claim.

EXCLUSIONS & EXCEPTIONS

GeoCeramica is covered under a unique warranty separate from the standard RCP warranty. It is warranted against structural defects and damage resulting from normal, approved use. Please note that damage caused by installation techniques outside of RCP recommendations is not covered. This includes, but is not limited to, issues related to poor drainage, inadequate base preparation, or improper installation of joint materials.

CLAIM PROCEDURE

Claims under this Limited Warranty must be submitted in writing to:

Rochester Concrete Products
7200 Broadway Ave. N, Rochester, MN 55906

Claims should include:
1. Claimant's name, address, and phone number, and installation address (if different)
2. Description of product, date and location of purchase, and copy of invoice (if available)
3. Description of defect (photos required)
4. Summary of any actions taken to address the issue

This Limited Warranty is not a statement of the useful life of any RCP product.

dms.us.51883281.01

CARE, CLEANING & PERFORMANCE GUIDELINES

THE FOLLOWING INFORMATION OUTLINES GENERAL PRACTICES FOR PROTECTING THE APPEARANCE AND PERFORMANCE OF ROCHESTER CONCRETE PRODUCTS' PAVERS, SLABS, AND WALL SYSTEMS. THESE GUIDELINES SUPPORT, BUT DO NOT REPLACE, THE RCP LIMITED LIFETIME WARRANTY.

IN ADDITION TO THE WARRANTY TERMS AND CONDITIONS THE FOLLOWING GUIDELINES MAY IMPACT THE APPLICABILITY OF THE WARRANTY.

1. PRODUCT APPEARANCE & SITE VERIFICATION

RCP products are manufactured with natural aggregates and mineral pigments, which means color tone, texture, and shading will vary from unit to unit. These natural differences enhance the authentic look of concrete hardscapes.

To ensure expectations are met:
- Use printed or digital images only as broad references.
- Review actual product delivered to the site before installation.
- Confirm color, texture, and quantity at delivery; installation constitutes acceptance.

For best visual results, installers should pull units evenly from multiple pallets to blend color variation throughout the project.

2. INSTALLATION PRACTICES & MATERIAL COMPATIBILITY

All hardscape installations must follow industry standards (CMHA) and RCP's installation instructions. Proper storage, handling, compaction, and drainage all contribute to final performance.

Joint Materials**:**
- Joint sands or stabilizing materials should meet ASTM C144 or equivalent.
- When using polymeric sand, select products free of Portland cement, fly ash, or crushed limestone to help reduce hazing.
- Test any joint material in a small mock-up area before full installation.

RCP is not responsible for performance or aesthetic issues resulting from jointing materials or installation practices outside industry guidelines.

3. NATURAL PROCESSES & SURFACE CONDITIONS

Concrete is subject to several natural, expected phenomena:

COLOR WEATHERING & EFFLORESCENCE
Efflorescence is a light, powdery deposit which may appear on the surface as minerals naturally migrate to the surface of the paver. This does not affect strength or durability and is common to all concrete. It may fade naturally or be removed with appropriate masonry cleaners.

CONSTRUCTION DUST & ENVIRONMENTAL DEBRIS
Residue from cutting operations or jobsite contamination should be rinsed or brushed off before it dries. While it does not compromise structural performance, stains left to cure may alter appearance.

4. CLEANING, WASHING & ROUTINE MAINTENANCE

Simple routine maintenance helps preserve the look of concrete hardscapes:

Clean with a garden hose and stiff-bristle brush.
- Avoid pressure washing unless explicitly allowed for the specific product.
- Only use cleaners approved for concrete and test them in a small, inconspicuous area first (approx. 4' × 4').
- Improper use of chemicals or equipment may permanently alter the finish.

RCP is not liable for damage caused by misuse of cleaning agents or aggressive washing techniques.

5. WINTER USE, DEICERS & SURFACE PROTECTION

For traction in winter months, use sand only.

Chemical deicers or fertilizers should be avoided, as many compounds—including sodium chloride, calcium chloride, magnesium chloride, ammonium-based salts, and urea—can deteriorate concrete surfaces over time.

Snow removal equipment should use appropriate blade protection to avoid scuffing or marking.

Damage caused by deicing chemicals or improper snow removal is not covered by warranty.

6. USE LIMITATIONS & APPLICABILITY

These guidelines summarize best practices for care and maintenance. They do not imply suitability for every environment or application. Proper product selection, design, base preparation, and installation methods remain the responsibility of the purchaser and installer.

RCP is not liable for incidental or consequential damages arising from improper installation, handling, use, or maintenance that falls outside these recommendations.

Rochester Concrete Products™

www.rochestercp.com

Rochester
Concrete Products™

Corporate Office: 7200 Broadway Ave. N., Rochester, MN 55906 • Phone (507) 288-8850 • rochestercp.com